STATEMENT A

REPORT NUMBER

94NN0570

JUNE 14 1994

LABORATORY DIVISION
NORFOLK NAVAL SHIPYARD
PORTSMOUTH, VA. 23709-5000

Customer's Ref. No. FORRESTAL AVT-59
Submitted by: GLENN CLARK
Shop/Code : NAVSEA
Phone : 0465

Program Code : TSCA
Job Order Number: 47J9A13032
Sample Received: 940119
Sample Source: PHILADELPHIA, PA.

ENVIRONMENTAL PCB TEST REPORT: DESCRIPTION: PCB SOLIDS, WIPES, AND OILS

SAMPLE	SAMPLE LOCATION / ID.	TEST	RESULT	UNITS	AROCLOR TYPE (‡)
001	2-44-PORT OF C/L,5/8" GRAY CABLE, PIRELLI	PCBSOLID	< 5	ug/g	1254
002	2-44-PORT OF C/L,3/8" GRAY CABLE, PIRELLI	PCBSOLID	< 5	ug/g	1254
003	03-24-0-C,1" GRAY CABLE, CONTINENTAL	PCBSOLID	15	ug/g	1254
004	03-24-0-C,7/8" GRAY CABLE CHESTER	PCBSOLID	15	ug/g	1254
005	03-12-4-C,3/4" GRAY CABLE, CITCO	PCBSOLID	< 5	ug/g	1254
006	03-15-2-C,5/8" GRAY CABLE CONSOLIDATED	PCBSOLID	10	ug/g	1254
007	03-104-0,1 1/8" GRAY CABLE CONSOLIDATED	PCBSOLID	18	ug/g	1254
008	03-118-C/L,1/2" GRAY CABLE, CITCO	PCBSOLID	15	ug/g	1254
009	03-118-STBD OF C/L,5/8" GRAY CABLE, CITCO	PCBSOLID	18	ug/g	1254
010	05-118-1-Q,1 1/4" GRAY CABLE, PLASTOID	PCBSOLID	< 5	ug/g	1254
011	05-121-STBD, 3/4" GRAY CABLE, CHESTER	PCBSOLID	< 5	ug/g	1254
012	05-124-STBD,5/8" GRAY CABLE, COLLYER	PCBSOLID	< 5	ug/g	NO
013	06-125-STBD,2 1/2" GRAY CABLE, THE OKONITE CO.	PCBSOLID	< 5	ug/g	1254
014	06-125-STBD,2 1/2" GRAY CABLE, COLLYER	PCBSOLID	< 5	ug/g	1254
015	03-112-C/L,3/8" BLACK CABLE	PCBSOLID	88	ug/g	1254
016	03-113-C/L,7/8" GRAY CABLE, PLASTOID	PCBSOLID	12	ug/g	1254
017	03-113-C/L,1 1/8" GRAY CABLE, CHESTER	PCBSOLID	26	ug/g	1254
018	03-101-C/L,1/2" BLACK CABLE, MORROE	PCBSOLID	8	ug/g	1254
019	03-104-C/L,1/2" BLACK CABLE	PCBSOLID	19	ug/g	1254
020	03-104-C/L,1" GRAY CABLE, PLASTOID	PCBSOLID	< 5	ug/g	1254

Remarks:
(‡) AROCLOR REPORTED WAS THE MAJOR PCB GROUP(s) DETECTED AND DOES NOT CONSTITUTE ALL COMMERCIAL GRADES.
ND = NONE DETECTED.

2 Reviewer (signature)	Date:	1 Released (signature)	Date:	1 Code : 134.12
Marlin C. McCrickard	6/14/94	Howard Choffel	6/14/94	1 Phone 6-3029

2 The person designated to sign for an action verifies, based on personal observation, certified records, or direct report from watchstanders, and certifies by his signature that the action has been performed in accordance with the specified requirements.

Distribution:

REPORT NUMBER

94NN00570

JUNE 14 1994

LABORATORY DIVISION
NORFOLK NAVAL SHIPYARD
PORTSMOUTH, VA. 23709-5000

Customer's Ref. No.: FORRESTAL AVT-59
Submitted by: GLENN CLARK
Shop/Code : NAVSEA
Phone : 0465

Program Code : TSCA
Job Order Number: 47J9A13032
Sample Received: 940119
Sample Source: PHILADELPHIA, PA.

ENVIRONMENTAL PCB TEST REPORT: DESCRIPTION: PCB SOLIDS, WIPES, AND OILS

SAMPLE	SAMPLE LOCATION / ID.	TEST	RESULT	UNITS	AROCLOR TYPE (#)
021	3-235-STBD PORT UNIT AUX STEERING STBD. SIDE	PCBOIL	< 1	ug/g	ND
022	3-235-PORT,PORT UNIT AUX. STEERING PORT SIDE	PCBOIL	< 1	ug/g	ND
023	2-237-STBD,OIL FROM WINDLASS	PCBOIL	< 1	ug/g	ND
024	2-162-STBD,OIL FROM MISC. VALVE STATION #162	PCBOIL	< 1	ug/g	ND
025	2-162-PORT,L.O. FROM DRAINLINE	PCBOIL	< 1	ug/g	ND
026	3-91-PORT,OIL FROM SOMP. TANK #3	PCBOIL	< 1	ug/g	ND
027	2-31-STBD OF C/L,OIL FROM L.O. STORAGE TK.	PCBOIL	< 1	ug/g	ND
028	1-13-C/L,OIL FROM ANCHOR WINDLASS	PCBOIL	< 1	ug/g	ND
029	01-6-PORT OF C/L,OIL FROM WINDLASS	PCBOIL	< 1	ug/g	ND
030	03-192-0-Q,OIL FROM TANK	PCBOIL	< 1	ug/g	ND
031	2-233-0-L,BLACK RUBBER VENT GASKET	PCBSOLID	14	ug/g	1254
032	2-229-5-L,THERMAL BHD INSULATION	PCBSOLID	< 5	ug/g	ND
033	3-244-2,BLACK DOUBLE BACK TAPE	PCBSOLID	< 5	ug/g	ND
034	2-207-1-L,WHITE DOUBLE BACK TAPE	PCBSOLID	< 5	ug/g	1254
035	2-198-2-L,BLACK RUBBER VENT GASKET	PCBSOLID	< 5	ug/g	1254
036	5-165-1-E,ALUM. PAINT (MS-48 STEAM VALVE)	PCBSOLID	< 5	ug/g	ND
037	5-163-0-F,ALUM. PAINT (#3A BOILER)	PCBSOLID	< 5	ug/g	ND
038	5-168-STBD,ALUM. PAINT (GSE-22-VALVE)	PCBSOLID	< 5	ug/g	ND
039	4-158-2-T,WHITE DOUBLE BACK TAPE	PCBSOLID	< 5	ug/g	1254
040	2-144-2-L,FIELD BLANK	PCBSW	< 10	ug/100 cm2	ND

Remarks:
(#) AROCLOR REPORTED WAS THE MAJOR PCB GROUP(s) DETECTED AND DOES NOT CONSTITUTE ALL COMMERCIAL GRADES.
ND = NONE DETECTED.

2 Reviewer (signature) Date: | Released (signature) Date: | Code : 134.12
Marlin A McCrickard 6/14/94 | Howard Choffel 6/14/94 | Phone 6-3029

2 The person designated to sign for an action verifies, based on personal observation, certified records, or direct report from watchstanders, and certifies by his signature that the action has been performed in accordance with the specified requirements.

Distribution:

REPORT NUMBER

94NN00520

JUNE 14 1994

LABORATORY DIVISION
NORFOLK NAVAL SHIPYARD
PORTSMOUTH, VA. 23709-5000

Customer's Ref. No.: FORRESTAL AUT-59
Submitted by: GLENN CLARK
Shop/Code : NAVSEA
Phone : 0465

Program Code : TSCA
Job Order Number: 47J9A13032
Sample Received: 940119
Sample Source: PHILADELPHIA, PA.

ENVIRONMENTAL PCB TEST REPORT: DESCRIPTION: PCB SOLIDS, WIPES, AND OILS

SAMPLE	SAMPLE LOCATION / ID.	TEST	RESULT	UNITS	AROCLOR TYPE (‡)
041	2-134-2-L,BLACK RUBBER CABLE HANGER WRAP	PCBSOLID	< 5	ug/g	1254
042	2-146-1-T,THERMAL BHD INSULATION	PCBSOLID	< 5	ug/g	ND
043	3-132-0-E,FELT VENT GASKET	PCBSOLID	< 5	ug/g	ND
044	3-129-0-E,FELT PIPE HANGER WRAP	PCBSOLID	< 5	ug/g	1254
045	2-92-2-L,BLACK RUBBER PIPE HANGER WRAP	PCBSOLID	10	ug/g	1254
046	2-95-2-E,BLACK RUBBER VENT GASKET	PCBSOLID	< 5	ug/g	1254
047	2-39-1-A,WHITE DOUBLE BACK TAPE	PCBSOLID	7	ug/g	1254
048	3-30-0-E,BLACK RUBBER VENT GASKET	PCBSOLID	2100	ug/g	1268
049	1-54-2-Q,ACCOUSTICAL BHD INSULATION	PCBSOLID	3700	ug/g	1254
050	1-29-0-L,FIELD BLANK	PCBSW	< 10	ug/100 cm2	ND
051	1-55-2-Q,BLACK RUBBER VENT GASKET	PCBSOLID	< 5	ug/g	ND
052	01-2-0-A,WHITE DOUBLE BACK TAPE	PCBSOLID	10	ug/g	1254
053	01-14-1-A,THERMAL BHD INSULATION	PCBSOLID	10	ug/g	1254
054	02-21-0-Q,BLACK RUBBER CABLE HANGER WRAP	PCBSOLID	< 5	ug/g	ND
055	02-2-1-Q,THERMAL BHD INSULATION	PCBSOLID	< 5	ug/g	ND
056	03-19-0-C,BLACK RUBBER CABLE WIRE HGER WRAP	PCBSOLID	13	ug/g	1254
057	03-116-4-Q,BLACK RUBBER VENT GASKET	PCBSOLID	42	ug/g	1254
058	03-133-6-Q,BLACK RUBBER VENT GASKET	PCBSOLID	160	ug/g	1254
059	04-140-1-Q,BLACK RUBBER VENT GASKET	PCBSOLID	30	ug/g	1254
060	05-139-1-Q,BLACK RUBBER VENT GASKET	PCBSOLID	400	ug/g	1268

Remarks:
(‡) AROCLOR REPORTED WAS THE MAJOR PCB GROUP(s) DETECTED AND DOES NOT CONSTITUTE ALL COMMERCIAL GRADES.
ND = NONE DETECTED.

? Reviewer (signature)	Date:	! Released (signature)	Date:	! Code : 134.12
Marlin A McCrickard	6/14/94	Howard Choffel	6/14/94	! Phone 6-3029

? The person designated to sign for an action verifies, based on personal observation, certified records, or direct report from watchstanders, and certifies by his signature that the action has been performed in accordance with the specified requirements.

Distribution:

REPORT NUMBER

94NN00520

JUNE 14 1994

LABORATORY DIVISION
NORFOLK NAVAL SHIPYARD
PORTSMOUTH, VA. 23709-5000

Customer's Ref. No.: FORRESTAL AVT-59
Submitted by: GLENN CLARK
Shop/Code : NAVSEA
Phone : 0465

Program Code : TSCA
Job Order Number: 47J9A13032
Sample Received: 940119
Sample Source: PHILADELPHIA, PA.

ENVIRONMENTAL PCB TEST REPORT: DESCRIPTION: PCB SOLIDS, WIPES, AND OILS

SAMPLE	SAMPLE LOCATION / ID.	TEST	RESULT	UNITS	AROCLOR TYPE (‡)
061	R1, 1st TOOL CHECK B.S.	PCBSW	< 10	ug/100 cm2	ND
062	R2, 2nd TOOL CHECK B.S.	PCBSW	< 10	ug/100 cm2	ND
063	R3, 3rd TOOL CHECK B.S.	PCBSW	< 10	ug/100 cm2	ND
064	R4, 1st TOOL CHECK J.B.H.	PCBSW	< 10	ug/100 cm2	ND
065	R5, 2nd TOOL CHECK J.B.H.	PCBSW	< 10	ug/100 cm2	ND
066	R6, 3rd TOOL CHECK J.B.H.	PCBSW	< 10	ug/100 cm2	ND

Remarks:
(‡) AROCLOR REPORTED WAS THE MAJOR PCB GROUP(s) DETECTED AND DOES NOT CONSTITUTE ALL COMMERCIAL GRADES.
ND = NONE DETECTED.

? Reviewer (signature)	Date:	! Released (signature)	Date:	! Code : 134.12
Marlen A McCuckand	6/14/94	Howard Choffel	6/14/94	! Phone 6-3029

? The person designated to sign for an action verifies, based on personal observation, certified records, or direct report from watchstanders, and certifies by his signature that the action has been performed in accordance with the specified requirements.

Distribution: