

ACM/PACM SURVEY

HULL NO: Ex- Gates

HULL NUMBER: CG-51

VESSEL STATUS: Disposal

CUSTODIAN: GLOBAL NISMO PHILA

BERTH: NISMO - PHILADELPHIA

NO. OF SAMPLE LOCATION DANGER SIGNS: 0

NO. OF SPACE DANGER SIGNS: 0

NO. OF AIR SAMPLES: 0


NO. OF BULK SAMPLES: 0

DATE: 6/16/14

TOTAL NUMBER OF REPAIRS COMPLETED: 0

Note: Lagging and insulation is friable, but is encapsulated.

Submitted by: \_\_\_\_\_



James A. Sirles, EHS Mgr

**ASBESTOS SURVEY FORM**

HULL NO: CG-51                      NAME: EX-GATES                      DATE: 6/16/14  
 STATUS: DISPOSAL      CUSTODIAN: NISMO                      BERTHED: INACT SHIPS PHILA  
 NO. REPAIRS: 0                      NO. SPACE DANGER SIGNS: 0  
 NO. SAMPLE LOCATION DANGER SIGNS: 0  
 NO. AIR SAMPLES: 0                      NO. BULK SAMPLES: 0

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
01-138-0-C	COMPUTER ROOM	X						
01-143-1-A	STRM	X						
01-145-1-A	LOCKER	X						
01-148-1-Q	FAN RM	X						
01-174-0-L	PASSAGE	X						
01-174-2-A	FUELING STA #4 LKR			X				
01-178-0-L	HEAD	X						
01-178-1-Q	TECH SHOP	X						
01-188-2-L	DECON # 2	X						
01-188-4-L	DECON # 1	X						
01-190-0-Q	SONAR # 5	X						
01-196-1-Q	FAN ROOM	X						
01-196-2-T	UPTAKE NO. #1	X						
01-197-0-L	ACCESS	X						
01-197-1-A	FUEL STA #3 LKR			X				
01-215-0-L	CDR PANTRY	X						
01-220-0-L	CDR CABIN	X						
01-220-1-L	CDR STATEROOM	X						
01-220-2-L	PASSAGE	X						
01-220-4-K	FLAM LIQ ISSUE RM	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 2 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
01-228-2-L	PASSAGE	X						
01-228-4-A	STORE RM	X						
01-230-1-L	HEAD	X						
01-236-0-Q	400 HZ ROOM	X						
01-240-4-A	GEAR LOCKER	X						
01-251-0-L	PASSAGE	X						
01-251-1-Q	FAN ROOM	X						
01-260-0-L	PANTRY	X						
01-260-2-L	PASSAGE	X						
01-264-2-A	SHORE POWER RM	X						
01-272-0-L	WARDROOM	X						
01-277-1-A	GEAR LOCKER	X						
01-277-2-Q	FAN ROOM	X						
01-286-2-Q	FAN ROOM	X						
01-293-1-Q	FAN RM	X						
01-293-2-Q	FAN ROOM	X						
01-295-2-L	VESTIBULE	X						
01-300-1-T	UPTAKE TRK #2	X						
01-304-2-A	GEAR LOCKER	X						
01-306-2-L	HEAD	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 3 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
01-312-2-L	STATEROOM	X						
01-322-0-L	STATEROOM	X						
01-324-1-Q	GT CLG EQPT RM	X						
01-324-2-L	STATEROOM	X						
01-330-0-L	STATEROOM	X						
01-335-2-L	STATEROOM	X						
01-346-01.1	PASSAGE	X						
01-346-0-L	HEAD	X						
01-346-1-A	SECURITY STORAGE	X						
01-346-1-L	HEAD	X						
01-346-3-C	CONTROL STATION	X						
01-346-4-L	STATEROOM	X						
01-358-1-L	ACCESS	X						
01-358-2-L	STATEROOM	X						
01-361-0-L	STATEROOM	X						
01-362-1-L	STATEROOM	X						
01-365-2-A	FUEL STA #8 LKR			X				
01-366-1-A	LOCKER	X						
01-370-2-L	STATEROOM	X						
01-371-0-L	STATEROOM	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 4 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
01-382-0-Q	RAST ROOM	X						
01-382-1-Q	FAN ROOM	X						
01-382-2-L	PASSAGE	X						
01-382-4-L	ACCESS	X						
01-382-6-A	LOCKER	X						
01-388-0-L	STATEROOM	X						
01-392-2-Q	FAN ROOM	X						
01-398-0-L	STATEROOM	X						
01-398-1-A	STORE ROOM	X						
01-398-2-A	STORE RM	X						
01-398-4-M	MARKER MAG	X						
01-405-0-L	STATEROOM	X						
02-138-0-C	CIC	X						
02-145-2-C	PROJECTOR ROOM	X						
02-174-0-C	SONAR CONTROL	X						
02-180-0-L	PASSAGE	X						
02-188-1-C	SIG INT ROOM	X						
02-188-2-A	NAVIGATION ROOM	X						
02-200-0-C	TRANSMITTER ROOM	X						
02-220-0-C	RADIO CENTRAL	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 5 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
02-220-2-L	PASSAGE	X						
02-220-4-Q	CLASSIFIED WASTE RM	X						
02-228-2-L	HEAD	X						
02-228-4-Q	FAN ROOM	X						
02-234-1-A	GEAR STRM	X						
02-234-2-Q	FAN ROOM	X						
02-260-01-A	STOREROOM	X						
02-260-0-C	PUBLICATIONS ROOM	X						
02-260-2-L	PASSAGE	X						
02-276-01-Q	OFFICE	X						
02-276-0-Q	AVIATION OFFICE	X						
02-276-1-K	FLAMMABLE LOCKER	X						
02-276-2-L	PASSAGE	X						
02-292-0-Q	HELO HANGAR	X						
02-292-1-Q	FAN ROOM	X						
02-324-2-Q	RESCUE LOCKER	X						
02-340-2-Q	REEL SPACE			X				
03-138-1-C	AEGIS RADAR # 2	X						
03-138-2-Q	FAN ROOM	X						
03-156-2-L	PASSAGE	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 6 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
03-162-2-Q	OPS OFFICE	X						
03-174-0-L	PASSAGE	X						
03-174-1-Q	FAN ROOM	X						
03-188-0-Q	FAN ROOM	X						
03-188-2-Q	ELECT SHOP # 7	X						
03-199-0-C	RADAR ROOM	X						
03-199-1-C	EQUIPMENT ROOM	X						
03-224-0-C	EW ROOM	X						
03-224-2-Q	EQUIP COOLING RM	X						
03-233-0-C	AEGIS RADAR # 3	X						
03-260-0-Q	FAN ROOM	X						
03-266-2-M	CIWS MAG	X						
03-292-1-M	40MM MAG	X						
03-300-2-Q	FAN ROOM	X						
03-308-2-0	FAN ROOM	X						
03-316-2-A	STOREROOM	X						
03-324-1-Q	OFFICE	X						
03-324-2-Q	FAN ROOM	X						
03-332-2-C	COUNT STATION	X						
04-140-1-C	AEGIS RADAR RM # 1	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 7 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
04-140-2-L	CO'S CABIN	X						
04-140-4-L	CO STATROOM	X						
04-151-2-L	CO BATH	X						
04-153-2-L	PASSAGE	X						
04-153-6-C	CHART ROOM	X						
04-162-2-C	RADAR ROOM	X						
05-149-0-C	PILOT HOUSE	X						
05-166-01-L	PASSAGE	X						
05-166-0-L	HEAD	X						
05-166-1-C	SLIP RING ASSY	X						
05-166-2-C	SLIP RING ASSY	X						
05-174-0-C	SIGNAL SHELTER	X						
05-308-0-Q	FAN ROOM	X						
05-316-0-C	AEGIS RADAR RM #4	X						
06-308-2-Q	SLIP RING ASSY RM	X						
1-0-0-E	WINDLASS	X						
1-R-0-A	STOREROOM	X						
1-28-0-Q	SONAR # 1	X						
1-58-01-L	PASSAGE	X						
1-58-0-M	LOADING DRUM RM	X						



**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 8 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
1-82-1-A	STORAGE RM #1	X						
1-82-2-Q	FAN RM	X						
1-92-1-Q	SECURITY #1	X						
1-94-01-L	PASSAGE	X						
1-94-0-Q	FAN RM	X						
1-94-2-Q	FWD REPAIR	X						
1-112-1-Q	POST OFFICE	X						
1-130-0-Q	STORE RM	X						
1-130-2-A	AFFF #1	X						
1-138-0-Q	OFFICE	X						
1-138-1-L	PASSAGE	X						
1-138-2-Q	OFFICE	X						
1-138-4-L	PASSAGE	X						
1-147-0-Q	OFFICE	X						
1-151-1-Q	OFFICE	X						
1-159-0-Q	TECH LIBRARY	X						
1-174-0-L	PASSAGE	X						
1-174-1-A	SHIP STORE	X						
1-174-6-L	PASSAGE	X						
1-183-1-Q	OFFICE	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 9 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
1-188-2-A	LOCKER	X						
1-188-4-L	PASSAGE	X						
1-189-1-A	LOCKER	X						
1-196-1-L	CREWS LIBRARY	X						
1-204-1-L	CLASSROOM	X						
1-220-01-L	CPO QUARTERS	X						
1-220-0-L	PASSAGE	X						
1-220-3-L	PASSAGE	X						
1-226-2-Q	REPAIR 5	X						
1-231-1-L	HEAD	X						
1-239-0-L	HEAD	X						
1-241-1-L	CPO LOUNGE	X						
1-248-0-L	PASSAGE	X						
1-248-1-A	LOCKER	X						
1-248-4-A	PROVISIONS	X						
1-248-6-Q	OFFICE	X						
1-260-01-L	PASSAGE	X						
1-260-01-L	PASSAGE	X						
1-260-0-Q	GALLEY	X						
1-260-1-L	CPO MESS	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 10 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
1-284-1-Q	SCULLERY	X						
1-300-0-L	CREW MESS	X						
1-300-1-L	PASSAGE	X						
1-300-4-L	PASSAGE	X						
1-324-1-A	FAN ROOM	X						
1-346-01-L	PASSAGE	X						
1-346-01-L	PASSAGE	X						
1-346-1-L	HEAD	X						
1-346-3-L	ACCESS	X						
1-346-3-L	PASSAGE	X						
1-352-2-A	LOCKER	X						
1-356-0-L	BERTHING	X						
1-382-01-L	PASSAGE	X						
1-382-0-L	MED TREAT RM	X						
1-382-2-M	SMALL ARMS MAG	X						
1-382-3-Q	FAN ROOM	X						
1-390-1-M	TORPEDO #1	X						
1-390-2-A	SUS LOCKER	X						
1-390-4-M	TORPEDEO RM #2	X						
1-398-0-L	WARD RM	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 11 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
2-104-2-A	STORE RM	X						
2-124-3-K	STRM #1	X						
2-127-0-Q	GYRO #1	X						
2-138-0-L	CREW WR	X						
2-138-0-L	HEAD	X						
2-138-1-L	CREW WC	X						
2-138-1-L	GEAR LOCKER	X						
2-138-2-L	CREW SH	X						
2-138-2-L	HEAD	X						
2-138-3-L	PASSAGE	X						
2-146-0-A	CG LKR	X						
2-146-2-A	LOCKER	X						
2-149-0-L	BERTHING	X						
2-149-0-L	BERTHING	X						
2-220-0-Q	BATTERY RM	X						
2-220-2-A	STORE ROOM	X						
2-220-3-Q	CCTV RM	X						
2-220-4-Q	REEFER MACH	X						
2-228-1-A	STORE ROOM	X						
2-236-0-Q	AEGIS COOLING #1	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 12 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
2-236-2-Q	PROVISIONS RM	X						
2-240-1-A	STORE ROOM	X						
2-260-1-Q	SUPPLY OFFICE	X						
2-272-0-C	CENTRAL CONTROL	X						
2-284-1-L	PASSAGE	X						
2-292-1-Q	FILTER SHOP	X						
2-346-01-L	BERTHING	X						
2-346-0-L	HEAD	X						
2-346-1-L	HEAD	X						
2-346-1-Q	WATER CLOSET	X						
2-346-3-L	PASSAGE	X						
2-382-0-Q	LAUNDRY	X						
2-382-2-L	PASSAGE	X						
2-382-4-Q	SOLID WASTE	X						
2-382-5-A	LAUNDRY STRM	X						
2-387-0-Q	WORKSHOP	X						
2-387-0-Q	WELD SHOP	X						
2-409-2-Q	ELECTRICAL SHOP	X						
2-426-0-Q	TOOL ROOM	X						
2-426-2-L	PASSAGE	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 13 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
2-426-4-Q	AFFF #2	X						
2-439-2-A	LOCKER	X						
2-446-2-L	REPAIR #3	X						
2-464-01-L	PASSAGE	X						
2-464-01-L	PASSAGE	X						
2-464-0-A	STORES HNDL RM	X						
2-464-1-Q	FAN RM	X						
2-464-2-Q	BATTERY SHOP	X						
2-464-3-Q	SWBRD ROOM 3	X						
2-482-0-M	5"/54 LOCKER RM #2	X						
2-483-2-Q	ARMORY	X						
2-483-2-Q	STORE ROOM #2	X						
2-485-1-A	STORE ROOM	X						
2-491-1-A	STORE ROOM	X						
2-494-0-Q	WORKSHOP	X						
2-506-0-Q	FITNESS RM	X						
2-506-1-Q	NIXIE ROOM	X						
2-511-2-L	PASSAGE	X						
2-524-2-A	STORE ROOM	X						
2-578-2-A	GRAPH ROOM	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 14 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
3-28-0-Q	SONAR # 3	X						
3-58-1-M	WP PROJ MAG #1	X						
3-58-2-M	WP PROJ MAG #2	X						
3-62-0-M	5"/54 PROJ MAG #1	X						
3-81-1-M	POWDER MAG	X						
3-81-2-M	POWDER MAG	X						
3-97-01-M	GMLS MAG	X						
3-97-0-Q	GMLS #1	X						
3-97-2-L	ACCESS	X						
3-127-0-Q	FWD ICRM	X						
3-138-0-L	HEAD	X						
3-138-2-L	HEAD	X						
3-138-6-L	PASSAGE	X						
3-142-1-A	LOCKER	X						
3-146-0-L	BERTHING	X						
3-156-0-Q	FAN ROOM	X						
3-260-0-A	STORE ROOM	X						
3-283-0-Q	OFFICE	X						
3-284-1-L	PASSAGE	X						
3-345-0-Q	GMLS #2	X						

**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 15 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
3-346-0-L	BERTHING	X						
3-346-4-L	HEAD	X						
3-349-2-Q	FAN ROOM	X						
3-350-1-L	PASSAGE	X						
3-382-0-Q	GYRO ROOM	X						
3-382-1-A	STORE ROOM	X						
3-382-2-Q	AEGIS COOLING	X						
3-384-1-L	ACCESS	X						
3-393-4-Q	400HZ ROOM	X						
3-398-0-E	#2 PUMP ROOM	X						
3-426-0-A	STORE ROOM	X						
3-426-1-E	GEN RM #3	X						
3-426-2-A	STORE ROOM	X						
3-429-2-L	ACCESS	X						
3-435-01-M	GMLS MAG #2	X						
3-440-2-A	STORE ROOM	X						
3-464-0-Q	5"/54 STAGING RM #2	X						
3-482-0-M	5"/54 MAG # 2	X						
3-488-3-A	ROPE LOCKER	X						
3-491-1-M	WHITE PHOS MAG 2	X						



**ASBESTOS SURVEY FORM**

EX-GATES

CG-51

PAGE 16 OF 16

COMPARTMENT	NOMENCLATURE	FRIABLE	NON FRIABLE	N/A	NUMBER SPACE DANGER SIGNS	NUMBER SAMPLE LOCATION DANGER SIGNS	Bulk Sample Number	Air Sample Pump, flowrate, & Sample Number
3-491-2-M	OVERFLOW MAG #2	X						
3-494-0-M	5/54 MAG 3	X						
3-506-2-Q	WASTE XFR ROOM	X						
3.5-81-0-T	ELEV TRK #1	X						
4-34-0-Q	SONAR # 4	X						
4-58-0-Q	EQUIP ROOM	X						
5-34-0-Q	EDUCTOR ROOM	X						
5-135-0-T	SEWAGE PUMP RM #1	X						
5-174-0-E	MMR #1	X						
5-220-0-E	AUX 1	X						
5-260-0-E	AUX 2	X						
5-300-0-E	MMR 2	X						
6 1/2 - 2-0-Q	TRANSDUCER COMP	X						
6-346-0-Q	SHAFT ALLEY	X						
6-464-3-Q	COMPRESSOR RM	X						
6-464-4-K	STORE ROOM	X						
6-476-1-A	STORE ROOM	X						
6-476-4-A	STORE ROOM	X						
6-485-2-A	ISSUE ROOM	X						
6-506-0-E	AFT STEERING	X						