Summary Table

Client: Global - NISMO
Project ID: Ex-Grand Rapids (PG 98)
Project Number:

Lab Sample Number	Client Sample Number
42247-1	1
42247-2	2
42247-3	3
42247-4	4
42247-5	5
42247-6	6
42247-7	7
42247-8	8
42247-9	9
42247-10	10
42247-11	11
42247-12	12
42247-13	13
42247-14	14
42247-15	15
42247-16	16
42247-17	17
42247-18	18
42247-19	19
42247-20	20
42247-21	21
42247-22	22
42247-23	23
42247-24	24
42247-25	25

Summary Table

Client: Global - NISMO
Project ID: Ex-Grand Rapids (PG 98)
Project Number:

Lab Sample Number	Client Sample Number
42247-26	26
42247-27	27
42247-28	28
42247-29	29
42247-30	30
42247-31	31
42247-32	32
42247-33	33
42247-34	34
42247-35	35
42247-36	36
42247-37	37
42247-38	38
42247-39	39
42247-40	40
42247-41	41
42247-42	42
42247-43	43
42247-44	44
42247-45	45
42247-46	46
42247-47	47
42247-48	48
42247-49	49
42247-50	50

Summary Table

Client: Global - NISMO
Project ID: Ex-Grand Rapids (PG 98)
Project Number:

Lab Sample Number	Client Sample Number
42247-51	51
42247-52	52
42247-53	53
42247-54	54
42247-55	55
42247-56	56
42247-57	FB-61
42247-58	FB-62
42247-59	TC-63
42247-60	TC-64
42247-61	TC-65
42247-62	TC-66
42247-63	TC-67

Table of Contents

Item	Page #
Laboratory Deliverables	1
Chains of Custody	68
Laboratory Chronicle	71
Conformance Summary	84
Methodology Summary	86
PCBs	93

Laboratory Deliverables

Mid-Atlantic
Environmental Laboratories, Inc.
30 Lukens Drive, Suite A
New Castle, DE 19720
Phone: 302-654-1340 / TOLL FREE: 877-654-1340
www.maelinc.com
mael@maelinc.com

Analytical Report

Project Name:	Ex-Grand Rapids (PG 98)
MAEL Job Number:	42247
Client:	Global - NISMO 4701 S. 16th Street PNBC Building 545 Philadelphia, PA 19112
Contact Name:	Jim Sirles
Date Received:	02/26/2015
Date Reported:	3/12/2015

Analytical test results for methods listed on the laboratory's scope of accreditation meet all requirements of NELAC unless otherwise noted. All sample holding times and preservation requirements were met unless otherwise noted. Test results relate only to the sample tested. This report shall not be reproduced, except in full, without prior written authorization of Mid-Atlantic Environmental Laboratories, Inc.

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-1
Client Sample ID: 1

Date Sampled: 2/11/2015 7:31 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:30 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:30 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:30 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:30 PM
PCB-1248	12672-29-6	316.2		mg/kg	8082A	10.00	B C	3/10/2015 1:30 PM
PCB-1254	11097-69-1	209.3		mg/kg	8082A	10.00	B C	3/10/2015 1:30 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:30 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:30 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:30 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-2
Client Sample ID: 2

Date Sampled: 2/11/2015 7:39 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:46 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:46 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:46 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:46 PM
PCB-1248	12672-29-6	112.5		mg/kg	8082A	10.00	B C	3/10/2015 1:46 PM
PCB-1254	11097-69-1	53.10		mg/kg	8082A	10.00	B C	3/10/2015 1:46 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:46 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:46 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	10.00	B C	3/10/2015 1:46 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-3
Client Sample ID: 3

Date Sampled: 2/11/2015 7:53 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:01 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:01 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:01 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:01 PM
PCB-1248	12672-29-6	83.50		mg/kg	8082A	2.000	B C	3/10/2015 2:01 PM
PCB-1254	11097-69-1	39.30		mg/kg	8082A	2.000	B C	3/10/2015 2:01 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:01 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:01 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:01 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-4
Client Sample ID: 4

Date Sampled: 2/11/2015 8:10 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:17 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:17 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:17 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:17 PM
PCB-1248	12672-29-6	60.33		mg/kg	8082A	2.000	B C	3/10/2015 2:17 PM
PCB-1254	11097-69-1	39.54		mg/kg	8082A	2.000	B C	3/10/2015 2:17 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:17 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:17 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:17 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-5
Client Sample ID: 5

Date Sampled: 2/11/2015 8:20 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:32 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:32 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:32 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:32 PM
PCB-1248	12672-29-6	48.20		mg/kg	8082A	2.000	B C	3/10/2015 2:32 PM
PCB-1254	11097-69-1	35.70		mg/kg	8082A	2.000	B C	3/10/2015 2:32 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:32 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:32 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:32 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-6
Client Sample ID: 6

Date Sampled: 2/11/2015 8:28 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:48 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:48 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:48 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:48 PM
PCB-1248	12672-29-6	60.75		mg/kg	8082A	2.000	B C	3/10/2015 2:48 PM
PCB-1254	11097-69-1	46.09		mg/kg	8082A	2.000	B C	3/10/2015 2:48 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:48 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:48 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	2.000	B C	3/10/2015 2:48 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-7
Client Sample ID: 7

Date Sampled: 2/11/2015 8:43 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 3:03 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	2.000	B C	3/10/2015 3:03 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 3:03 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	2.000	B C	3/10/2015 3:03 PM
PCB-1248	12672-29-6	50.74		mg/kg	8082A	2.000	B C	3/10/2015 3:03 PM
PCB-1254	11097-69-1	35.68		mg/kg	8082A	2.000	B C	3/10/2015 3:03 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 3:03 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	2.000	B C	3/10/2015 3:03 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	2.000	B C	3/10/2015 3:03 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-8
Client Sample ID: 8

Date Sampled: 2/11/2015 8:48 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 3:19 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 3:19 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 3:19 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	1.000	B C	3/10/2015 3:19 PM
PCB-1248	12672-29-6	38.27		mg/kg	8082A	1.000	B C	3/10/2015 3:19 PM
PCB-1254	11097-69-1	16.74		mg/kg	8082A	1.000	B C	3/10/2015 3:19 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 3:19 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 3:19 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	1.000	B C	3/10/2015 3:19 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-9
Client Sample ID: 9

Date Sampled: 2/11/2015 9:21 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	0.025	B C	3/10/2015 3:34 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	0.025	B C	3/10/2015 3:34 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	0.025	B C	3/10/2015 3:34 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	0.025	B C	3/10/2015 3:34 PM
PCB-1248	12672-29-6	ND		mg/kg	8082A	0.025	B C	3/10/2015 3:34 PM
PCB-1254	11097-69-1	11.46		mg/kg	8082A	0.025	B C	3/10/2015 3:34 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	0.025	B C	3/10/2015 3:34 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	0.025	B C	3/10/2015 3:34 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	0.025	B C	3/10/2015 3:34 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-10
Client Sample ID: 10

Date Sampled: 2/11/2015 9:41 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:08 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:08 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:08 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:08 PM
PCB-1248	12672-29-6	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:08 PM
PCB-1254	11097-69-1	10.17		mg/kg	8082A	1.000	B C	3/10/2015 4:08 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:08 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:08 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:08 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-11
Client Sample ID: 11

Date Sampled: 2/11/2015 7:36 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:24 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:24 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:24 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:24 PM
PCB-1248	12672-29-6	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:24 PM
PCB-1254	11097-69-1	11.05		mg/kg	8082A	1.000	B C	3/10/2015 4:24 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:24 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:24 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:24 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-12
Client Sample ID: 12

Date Sampled: 2/11/2015 7:50 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:39 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:39 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:39 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:39 PM
PCB-1248	12672-29-6	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:39 PM
PCB-1254	11097-69-1	4.880		mg/kg	8082A	1.000	B C	3/10/2015 4:39 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:39 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:39 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:39 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-13
Client Sample ID: 13

Date Sampled: 2/11/2015 8:10 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:55 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:55 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:55 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:55 PM
PCB-1248	12672-29-6	48.50		mg/kg	8082A	1.000	B C	3/10/2015 4:55 PM
PCB-1254	11097-69-1	4.350		mg/kg	8082A	1.000	B C	3/10/2015 4:55 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:55 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:55 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	1.000	B C	3/10/2015 4:55 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-14
Client Sample ID: 14

Date Sampled: 2/11/2015 8:32 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	5.000	B C	3/10/2015 5:10 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	5.000	B C	3/10/2015 5:10 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	5.000	B C	3/10/2015 5:10 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	5.000	B C	3/10/2015 5:10 PM
PCB-1248	12672-29-6	122.7		mg/kg	8082A	5.000	B C	3/10/2015 5:10 PM
PCB-1254	11097-69-1	26.20		mg/kg	8082A	5.000	B C	3/10/2015 5:10 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	5.000	B C	3/10/2015 5:10 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	5.000	B C	3/10/2015 5:10 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	5.000	B C	3/10/2015 5:10 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-15
Client Sample ID: 15

Date Sampled: 2/11/2015 8:49 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:26 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:26 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:26 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:26 PM
PCB-1248	12672-29-6	5.180		mg/kg	8082A	1.000	B C	3/10/2015 5:26 PM
PCB-1254	11097-69-1	5.150		mg/kg	8082A	1.000	B C	3/10/2015 5:26 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:26 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:26 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:26 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-16
Client Sample ID: 16

Date Sampled: 2/11/2015 8:59 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	10.00	B C	3/10/2015 5:42 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	10.00	B C	3/10/2015 5:42 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	10.00	B C	3/10/2015 5:42 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	10.00	B C	3/10/2015 5:42 PM
PCB-1248	12672-29-6	ND		mg/kg	8082A	10.00	B C	3/10/2015 5:42 PM
PCB-1254	11097-69-1	160.4		mg/kg	8082A	10.00	B C	3/10/2015 5:42 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	10.00	B C	3/10/2015 5:42 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	10.00	B C	3/10/2015 5:42 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	10.00	B C	3/10/2015 5:42 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-17
Client Sample ID: 17

Date Sampled: 2/11/2015 9:15 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:57 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:57 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:57 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:57 PM
PCB-1248	12672-29-6	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:57 PM
PCB-1254	11097-69-1	2.460		mg/kg	8082A	1.000	B C	3/10/2015 5:57 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:57 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:57 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	1.000	B C	3/10/2015 5:57 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-18
Client Sample ID: 18

Date Sampled: 2/11/2015 9:23 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	5.000	B C	3/10/2015 6:13 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	5.000	B C	3/10/2015 6:13 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	5.000	B C	3/10/2015 6:13 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	5.000	B C	3/10/2015 6:13 PM
PCB-1248	12672-29-6	ND		mg/kg	8082A	5.000	B C	3/10/2015 6:13 PM
PCB-1254	11097-69-1	61.80		mg/kg	8082A	5.000	B C	3/10/2015 6:13 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	5.000	B C	3/10/2015 6:13 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	5.000	B C	3/10/2015 6:13 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	5.000	B C	3/10/2015 6:13 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director

ANALYTICAL REPORT

Project Name: Ex-Grand Rapids (PG 98)

Lab Project #: 42247
Lab Sample #: 42247-19
Client Sample ID: 19

Date Sampled: 2/11/2015 9:37 AM
Sampled By: GG/JK/J
Sample Matrix: Solid
Sample Type:

Analyte	CASRN	Result	Q	Units	Method	RL	Analyst	Date / Time Analysis
PCBs - Non-aqueous								
PCB-1016	12674-11-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 6:29 PM
PCB-1221	11104-28-2	ND		mg/kg	8082A	1.000	B C	3/10/2015 6:29 PM
PCB-1232	11141-16-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 6:29 PM
PCB-1242	53469-21-9	ND		mg/kg	8082A	1.000	B C	3/10/2015 6:29 PM
PCB-1248	12672-29-6	ND		mg/kg	8082A	1.000	B C	3/10/2015 6:29 PM
PCB-1254	11097-69-1	26.33		mg/kg	8082A	1.000	B C	3/10/2015 6:29 PM
PCB-1260	11096-82-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 6:29 PM
PCB-1262	37324-23-5	ND		mg/kg	8082A	1.000	B C	3/10/2015 6:29 PM
PCB-1268	11100-14-4	ND		mg/kg	8082A	1.000	B C	3/10/2015 6:29 PM

Akhter Mehmood
Lab Director

Wayne Wells II
QAQC Director