UNCLASSIFIED

Classification (canceled)(~~changed to~~ Unclassified)by authority of NAVSEA on 10/28/03 John M. Napper Security Spec.
(Date) (Signature) (Rank)
NAVAL SEA SYSTEMS COMMAND
Department of the Navy

[redacted] List may be made [redacted] only to those contractors or [redacted] that require this product in supplying [redacted] material under contract for the Armed Services.

QPL-10-4
Amendment-4
1 November 1950
Superseding
Amendment-3
1 October 1950

ARMY - NAVY - AIR FORCE

LIST OF PRODUCTS

QUALIFIED UNDER

MILITARY SPECIFICATION

JAN-I-10

INSULATING MATERIALS, CERAMIC RADIO, CLASS I.

This amendment forms a part of QPL-10-4 dated 1 March 1950.

Government designation	Manufacturer's designation	Test or qualification reference	Manufacturer's Name and Address
Page 2, add the following product:			
Grade L-2A porcelain, brown glazed.	RR-17 brown glazed	AMMRA-13364 1 Aug 50	Porcelain Products Co. Parkersburg, W. Va. Plant: Same address
Page 3, delete the following product:			
Grade L-2 clear glass.	Tramex RS-17	AMMRA-168-A-Ltd. 4 May 45	T. C. Thornton Company Millville, New Jersey Plant: Same address
Page 4, delete the following product:			
Grade L-3 steatite, unglazed and untreated.	SteaPACtite [illegible]	AMMRA-344-A-Ltd. 24 Apr 45	Pacific Clay Products Los Angeles 31, California Plant: Same address
Page 4, delete the following product:			
Grade L-3 steatite, unglazed and untreated.	S-151	AMMRA-271-A-Ltd. 24 Apr 45	Sassmburg Potteries, Inc. Sassmburg, Pa. Plant: Same address

MIL QPL

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

QPL-10-4
Amendment-4
1 November 1950
Superseding
Amendment-3
1 October 1950

Government designation	Manufacturer's designation	Test or qualification reference	Manufacturer's Name and Address
and substitute therefor:			
Grade L-38 steatite, unglazed and untreated.	S-151	AMMA-13345 23 Mar 50	Sayreburg Potteries Sayreburg, Pa. Plant: Same address

Page 8, delete the following products:

Grade L-5 steatite, unglazed and untreated.	Orelite #89	AMMA-[illegible]-A-Ltd. 1 June 45	Henry L. Crowley and Co., Inc. West Orange, New Jersey Plant: Same address
Grade L-5 steatite, unglazed and untreated.	#8532	AMMA-[illegible]-A-Ltd. 15 Mar 45	General Ceramics & Steatite Corp. Keasbey, New Jersey Plant: Same address

Page 9, add the following product:

Grade L-58 steatite, white glazed	Thor Type 300 steatite, white glazed	AMMA-13367 6 Oct 50	Thor Ceramics, Inc. 225 Belleville Avenue Bloomfield, New Jersey Plant: Same address

Page 10, delete the following product:

Grade L-6 glass	#7761 Multiform	AMMA-13136 9 Mar 49	Corning Glass Works Corning, New York Plant: Same address

and substitute therefor:

Grade L-6A glass	#7761 Multiform	AMMA-13136-A 7 Mar 50	Corning Glass Works Corning, New York Plant: Same address

825676

MIL QPL