NOTICE: This list may be made available to suppliers or prospective bidders who require the list in furnishing supplies to the Military Departments. Reproduction or use of the list in whole or in part for other purposes is prohibited, and violators will be cause for removal from the list.

File
DW
1/16/52

QPL-6-3
Amendment-6
1 December 1951
Superseding
Amendment-5
1 November 1951

MILITARY QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-R-6

RESISTOR, WIRE-WOUND, FIXED, TYPE

This amendment forms a part of QPL-6-3 dated 1 June 1951.

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address or (Reference number)
Page 1, column 3, lines 7, 10 and 11: Delete "AN3 WCLJ3-4 and substitute therefor: "AERNA-11,088 5 Oct 51 extended 7 May 52" 19 Oct 51".			
Page 1, add the following products:			
RE26---BCTY RE25---BCTY (Color schemes: B, F, S and W Ranges: 500 and 800 volts)		AERNA-11,075-4 19 Oct 51	AA
RE26---BCTY RE25---BCTY (Color schemes: W Ranges: 500 and 800 volts)		AERNA-11,087 11 Oct 51	AA
Page 1, add the following products:			
RE26---BCXY RE25---BCXY (Color schemes: B, F, S and W Ranges: 1 thru 30 kilovolts)		AERNA-11,075-4 19 Oct 51	AA
RE26---BCXY RE25---BCXY (Color schemes: W Ranges: 1 thru 30 kilovolts)		AERNA-11,087 11 Oct 51	AA
RE26---BCXA RE25---BCXA (Color schemes: B, F, S and W Ranges: 300 thru 900 microamperes)		AERNA-11,075-4 19 Oct 51	AA
RE26---BCXA RE25---BCXA (Color schemes: W Ranges: 30 thru 300 microamperes)		AERNA-11,087 11 Oct 51	AA
Page 3, add the following products:			
RE26---BCXA RE25---BCXA (Color schemes: W Ranges: 300 thru 900 microamperes)		AERNA-11,087 11 Oct 51	AA
RE26---BCXA RE25---BCXA (Color schemes: B, F, S and W Ranges: 1 thru 8 milliamperes)		AERNA-11,075-4 19 Oct 51	AA
RE26---BCXA RE25---BCXA (Color schemes: W Ranges: 1 thru 8 milliamperes)		AERNA-11,087 11 Oct 51	AA

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address or (Reference number)
Page 6, delete the following products:			
MS24—ACYY, AFYY, ABYY MS25—ACYY, AFYY, ABYY (Color schemes: 3, 7, 8 and W Ranges: 1.5 thru 300 volts)		400 MS114 11 Aug 65 extended 7 May 71	66
and substitute therefor:			
MS24—ACYY, AFYY, ABYY MS25—ACYY, AFYY, ABYY (Color schemes: 3, 7, 8 and W Ranges: 1.5 thru 300 volts Nominal Frequency: 60, 400 and 800 cycles)		AMMA-11073 9 Nov 71	66
Page 7, add the following products:			
MS24—ACAA MS25—ACAA (Color schemes: 3, 7, 8 and W Ranges: 1 thru 300 amperes Nominal Frequency: 60 cycles)		AMMA-11076 11 Sept 71	66
Page 8, column 3, lines 8 and 9: Delete "AMMA-11053 and substitute therefor: "AMMA-11053-A 7 May 71" 29 May 71".			
Page 8, delete the following products:			
MS34—DCYY MS35—DCYY (Color schemes: 3, 7, 8 and W Ranges: 1.5 thru 300 volts)		AMMA-11033 7 May 71	66
and substitute therefor:			
MS34—DCYY MS35—DCYY (Color schemes: 3, 7, 8 and W Ranges: 1.5 thru 300 volts)		AMMA-11033-A 30 Aug 71	66
Page 9, add the following products:			
MS34—DCYY MS35—DCYY (Color scheme: W Ranges: 1.5 thru 300 volts)		AMMA-11065 11 Oct 71	66
Page 9, delete the following products:			
MS34—DCYY MS35—DCYY (Color scheme: W Ranges: 1.5 thru 300 volts)		400 MS136-A 10 Oct 65 extended 27 Apr 71	66-1
Page 10, add the following products:			
MS34—DCXY MS35—DCXY (Color scheme: W Ranges: 1 thru 30 kilovolts)		AMMA-11073 21 June 71	66
Page 11, column 3, lines 1, 2 and 3: Delete "400 MS101 30 Sept 65 extended 7 May 71" and substitute therefor: "AMMA-11079 2 Oct 71".			

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address or (Reference number)
Page 11, add the following products:			
MS3[illegible]—DCM MS3[illegible]—DCM (Color schemes 3, 7, 8 and V Ranges: 30 thru 300 microamperes)		AFSWC-11[illegible] 2 Oct 73	[illegible]
MS3[illegible]—DCM MS3[illegible]—DCM (Color schemes: 3, 7, 8 and V Ranges: 30 thru 300 microamperes)		AFSWC-11[illegible] 9 Nov 73	[illegible]
MS3[illegible]—DCM MS3[illegible]—DCM (Color scheme: V Ranges: 30 thru 300 microamperes)		AFSWC-11[illegible] 11 Oct 73	[illegible]
MS3[illegible]—DCM MS3[illegible]—DCM (Color scheme: V Ranges: 300 thru 800 microamperes)		AFSWC-11[illegible] 23 June 73	[illegible]
Page 12, add the following products:			
MS3[illegible]—DCM MS3[illegible]—DCM (Color scheme: V Ranges: 1 thru 8 milliamperes)		AFSWC-11[illegible] 23 June 73	[illegible]
MS3[illegible]—DCM MS3[illegible]—DCM (Color scheme: V Ranges: 10 thru 800 milliamperes)		AFSWC-11[illegible] 4 Sept 73	[illegible]
Page 12, delete the following products:			
MS3[illegible]—DCM MS3[illegible]—DCM (Color schemes: 3 and V Ranges: 10 thru 800 milliamperes)		AFSWC-11[illegible] 7 May 73	[illegible]
and substitute therefor:			
MS3[illegible]—DCM MS3[illegible]—DCM (Color scheme: V Ranges: 10 thru 800 milliamperes)		AFSWC-11[illegible]-4 27 May 73	[illegible]
Page 17, add the following products:			
MS3[illegible]—RFM MS3[illegible]—RFM (Color schemes: 3, 7, 8 and V Ranges: 100 thru 800 milliamperes)		AFSWC-11[illegible] 11 Oct 73	[illegible]
MS3[illegible]—RLM MS3[illegible]—RLM (Color schemes: 3, 7, 8 and V Ranges: 100 thru 800 milliamperes)		AFSWC-11[illegible] 7 Nov 73	[illegible]

QPL-4-3
Amendment-6
1 December 1951

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address or (Infringing number)

Page 17, add the following products: (Contd.)

AMMRL-11/49
19 Oct 51

40

MS13——M.A.A.
MS15——M.A.A.
(Color schemes: B, F, S and W
Ranges: 1 thru 10 amperes)

Page 18, add the following reference number, manufacturer's name, address and plant: "40 Sun Electric Corp., 4433 Avondale Ave., Chicago 31, Illinois Plant. Same address".