

PERFORMANCE SPECIFICATION SHEET

HOSE, AIR DUCT
STRAIGHT, ROUND

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification and MIL-PRF-32107.




FIGURE 1. Straight, Round

TABLE I. Dimensions.

Size	Nominal Length	D		E		F		L	
		Max	Min	Max	Min	Max	Min	Max	Min
1	4	5.125	5.00	1.00	0.75	1.50	1.00	4.25	4.00
	6							6.25	6.00
	12							12.25	12.00
	24							24.25	24.00
	36							36.25	36.00
	72							72.25	72.00
2	4	8.125	8.00	1.00	0.75	1.50	1.00	4.25	4.00
	6							6.25	6.00
	12							12.25	12.00
	24							24.25	24.00
	36							36.25	36.00
	72							72.25	72.00
3	4	10.125	10.00	1.00	0.75	1.50	1.00	4.25	4.00
	6							6.25	6.00
	12							12.25	12.00
	24							24.25	24.00
	36							36.25	36.00
	72							72.25	72.00
4	4	12.125	12.00	1.00	0.75	1.50	1.00	4.25	4.00
	6							6.25	6.00
	12							12.25	12.00
	24							24.25	24.00
	36							36.25	36.00
	72							72.25	72.00

Notes:

1. Dimensions are in inches.
2. Abbreviations: Max = Maximum; Min = Minimum.
3. The illustration is for identification purposes only and is not intended to resist designs and shapes of textile duct, which conform to the requirements and are within the envelope dimensions.

