

QPL-19565  
NOTICE - 1  
25 October 1957

*file*

MILITARY QUALIFIED PRODUCTS LIST  
OF  
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
MIL-C-19565(SHIPS)  
COATING COMPOUND, THERMAL INSULATION PIPE COVERING—  
FIRE-, WATER-, AND WEATHER-RESISTANT

| Government Designation | Manufacturer's Designation | Test or Qualification Reference | Manufacturer's Name and Address |
|------------------------|----------------------------|---------------------------------|---------------------------------|
|------------------------|----------------------------|---------------------------------|---------------------------------|

As of 25 October 1957, no coating compound, thermal insulation pipe covering—fire-, water-, and weather-resistant has been tested and qualified under Military Specification MIL-C-19565(SHIPS). Pending the establishment of a Qualified Products List or the approval of a product for inclusion on the Qualified Products List, the qualification requirements (paragraphs 3.1 and 6.3) and the qualification tests of Military Specification MIL-C-19565(SHIPS) shall be waived for Navy procurements or procurements of coating compound, thermal insulation pipe covering—fire-, water-, and weather-resistant destined for Naval use; however coating compound, thermal insulation pipe covering—fire-, water-, and weather-resistant furnished under Military Specification MIL-C-19565(SHIPS) shall be capable of meeting the qualification tests, and procuring agencies may require contractors to furnish preproduction samples of the coating compound, thermal insulation pipe covering—fire-, water-, and weather-resistant that they propose to supply for Government inspection and contractual approval.

When a Qualified Products List is established for Military Specification MIL-C-19565(SHIPS), this Notice should be destroyed.

The responsibility for establishment of a Qualified Products List for Military Specification MIL-C-19565(SHIPS) has been assigned to Department of the Navy, Bureau of Ships, Washington 25, D. C.

11-1-57  
11-8-57  
(initials)

*C. E. ...*

Vertical text on the left margin, possibly a stamp or reference number.

NOTICE: This list may be made available to prospective bidders or suppliers who require the list in furnishing supplies or services to the Military Departments. Reproduction or use of the list in whole or in part for other purposes is prohibited, and violation will be cause for removal from the list.

QPL-19565-1  
23 May 1958  
SUPERSEDED  
QPL-19565  
NOTICE - 1  
25 October 1957

MILITARY QUALIFIED PRODUCTS LIST OF  
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-19565(SHIPS)

COATING COMPOUND, THERMAL INSULATION

PIPE COVERING— FIRE-, WATER-, AND WEATHER-RESISTANT

All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. Revisions of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the specification requirements.

| Government Designation | Manufacturer's Designation | Test or Qualification Reference | Manufacturer's Name and Address  |
|------------------------|----------------------------|---------------------------------|--|
|                        | Foster 60-60               | EES 610174A                     | Benjamin Foster Co.<br>4635 - 37 W. Girard Ave.<br>Philadelphia 31, Pa.<br>Plant: Same address |

POST AUSTRI COPY

Number, Date, Covering Data  
Essential items included  
6-2-57  
6-5-57  
C. E. Nicholson  
(Name)  
(Date)

OPL-19565-2  
12 September 1967  
SUPERSEDING  
OPL-19565-1  
23 May 1958

FIG 8030

**QUALIFIED PRODUCTS LIST**  
**OF**  
**PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION**  
MIL-C-19565

COATING COMPOUNDS, THERMAL INSULATION PIPE COVERING--  
FIRE- AND WATER-RESISTANT, VAPOR-BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specifications and each listing of a product is not intended to and does not constitute endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements. Use of the information shown herein for advertising or publicity purposes is expressly forbidden.

The activity responsible for this Qualified Products List is the Naval Ship Engineering Center

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE | MANUFACTURER'S NAME AND ADDRESS |
|------------------------|----------------------------|---------------------------------|---------------------------------|
|------------------------|----------------------------|---------------------------------|---------------------------------|

Type I

Foster 60-60  
Fire Resistive  
Mastic

EES 610174A  
and Benjamin  
Foster Company  
Rpt. 67-130

Benjamin Foster Co.  
4635 - 37 W. Girard Ave.  
Philadelphia, Pa. 19131  
Plant: Same address

U.S. GOVERNMENT PRINTING OFFICE: 1967-301-812/1488

6101C

OPL-19965-3  
24 September 1969  
SUPEPSELINC  
100-100-100  
100-100-100

FSC 8030

# QUALIFIED PRODUCTS LIST OF PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION MIL-8-1964

COATING COMPOUNDS, THERMAL INSULATION POWDER MIXTURES--  
FIRE- AND WATER-RESISTANT, VAPOR-BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and such listing of a product is not intended to and does not constitute endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice, revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements. Use of the information shown herein for advertising or publicity purposes is expressly forbidden.

The activity responsible for this Qualified Products List is Naval Ship Engineering Center

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE                        | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|--|--|---|
| Type I                 | Foster 60-60<br>Fire Resistive<br>Mastic | EES 610174A<br>& Benjamin<br>Foster Co. Rpt.<br>67-130 | Benjamin Foster Co.<br>4635-37 W. Girard Ave.<br>Philadelphia, Penn. 19131<br>Plant: Same address               |
| Type II                | IC-501                                   | Birna Products<br>Corp. Rpt. 146C<br>dtd 21 June 1969  | Insul-Coustic Div.<br>Birna Products Corp.<br>Jernee Mill Rd.<br>Sayreville, N. J. 08872<br>Plant: Same address |
| Type II                | IC-541                                   | Birna Products<br>Corp. Rpt. 1461<br>dtd 21 June 1962  | Insul-Coustic Div.<br>Birna Products Corp.<br>Jernee Mill Rd.<br>Sayreville, N. J. 08872<br>Plant: Same address |

PKC 8030

**QUALIFIED PRODUCTS LIST  
 OF  
 PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
 MIL-C-19565**

**COATING COMPOUNDS, THERMAL INSULATION PIPE COVERING--  
 FIRE- AND WATER-RESISTANT, VAPOR-BARRIER AND WEATHER-RESISTANT**

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and each listing of a product is not intended to and does not constitute endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

The activity responsible for this Qualified Products List is Naval Ship Engineering Center

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|--|---|--|
| Type I                 | Foster 60-60<br>Fire Resistant<br>Mastic | EES 610174A<br>& Benjamin<br>Foster Co. Rpt.<br>67-130                      | Benjamin Foster Co.<br>4635-37 W. Girard Ave.<br>Philadelphia PA 19131<br>Plant: Same address                |
| Type II                | CP30                                     | U. S. Testing Co.<br>Rpt. M40624-1A &<br>Childers Products<br>Co. Rpt. A126 | Childers Products Co.<br>P. O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA         |
| Type II                | CP32                                     | U. S. Testing Co.<br>Rpt. M40624-1A &<br>Childers Products<br>Co. Rpt. A126 | Childers Products Co.<br>P. O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA         |
| Type II                | IC-501                                   | Birma Products<br>Corp. Rpt. 1460<br>dtd 21 June 1968                       | Insul-Coustic Div.<br>Birma Products Corp.<br>Jernee Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address |
| Type II                | IC-541                                   | Birma Products<br>Corp. Rpt. 1461<br>dtd 21 June 1968                       | Insul-Coustic Div.<br>Birma Products Corp.<br>Jernee Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address |

QPL ACTION SHEET

QPL 19565-4 AND COG. CODE 61010  
TYPING 8/6 PRINT 10-1 RETURNED \_\_\_\_\_  
PANEL \_\_\_\_\_

ACTION REQUIRED

ESTABLISH: \_\_\_\_\_  
\_\_\_\_\_

ADD: Children Products Co's "C.P.-30" 4" x 6 1/2"

DELETE: \_\_\_\_\_  
\_\_\_\_\_

OTHER CHANGES: \_\_\_\_\_  
\_\_\_\_\_

QPL - 19565-4

990

QUALIFIED PRODUCTS LIST  
 OF

FSC 8030

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-19565

COATING COMPOUNDS, THERMAL INSULATION PIPE COVERING—FIRE-  
 AND WATER-RESISTANT, VAPOR-BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and such listing of a product is not intended to and does not constitute endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SHIP ENGINEERING CENTER.

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|--|---|--|
| Type I                 | Foster 60-60<br>Fire Resistant<br>Mastic | EES 61017LA<br>& Benjamin<br>Foster Co. Rpt.<br>67-130                      | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ambler, PA 19002<br>Plant: 4635 W. Girard Ave.<br>Philadelphia, PA   |
| Type II                | Tite-Fit<br>Coating 30-35                | U. S. Testing Co.<br>Inc. Rpt. No.<br>54511-1                               | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ambler, PA 19002<br>Plant: 4635 W. Girard Ave.<br>Philadelphia, PA<br>5841 W. 66th St.<br>Chicago, IL<br>13115 Cooklin Lane<br>Houston, TX<br>37899 Elton Blvd.<br>Fremont, CA |
| Type II                | Tite-Fit<br>Coating 30-56                | U. S. Testing Co.<br>Inc. Rpt. No.<br>54511-1                               | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ambler, PA 19002<br>Plant: 4635 W. Girard Ave.<br>Philadelphia, PA<br>5841 W. 66th St.<br>Chicago, IL<br>13115 Cooklin Lane<br>Houston, TX<br>37899 Elton Blvd.<br>Fremont, CA |
| Type II                | CP30                                     | U. S. Testing Co.<br>Rpt. #10624-1A &<br>Childers Products<br>Co. Rpt. 4126 | Childers Products Co.<br>P. O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Bartel St.<br>Bristol, PA   |

QPL-19565

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|----------------------------|---|--|
| Type II                | CP32                       | U. S. Testing Co.<br>Rpt. #10624-1A &<br>Childers Products<br>Co. Rpt. A126 | Childers Products Co.<br>P. O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Bartel St.<br>Bristol, PA         |
| Type II                | IC-501                     | Birna Products<br>Corp. Rpt. 1460   | Insel-Coustic Div.<br>Birna Products Corp.<br>Jersey Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address |
| Type II                | IC-541                     | Birna Products<br>Corp. Rpt. 1461   | Insel-Coustic Div.<br>Birna Products Corp.<br>Jersey Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address |

**QPL ACTION SHEET**

QPL-19565-6 AND CQG CODE \_\_\_\_\_

TYPING 9/29 PRINT 2/5 RET'D \_\_\_\_\_

**ACTION REQUIRED**

ESTABLISH: \_\_\_\_\_

ADD: *Birna Products, Inc's Type II*  
*"FIT-FIT CUTTING 30-35"*

DELETE: \_\_\_\_\_

OTHER CHANGES: \_\_\_\_\_

QPL - 19565-5

Q58



OPL-19565-6  
 1 February 1973  
 SUPERSEDED  
 OPL-19565-5  
 1 February 1972

QUALIFIED PRODUCTS LIST  
 OF  
 PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
 MIL-C-19565

78C 6036

COATING COMPOUNDS, THERMAL INSULATION FIBRE  
 COVERING - FIRE- AND WATER-RESISTANT, VAPOR-  
 BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and such listing of a product is not intended to and does not constitute endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice, revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SHIP ENGINEERING CENTER.

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|--|---|--|
| Type I                 | Foster 68-68<br>Fire Resistant<br>Mastic | ETS 61617A<br>1 Benjamin Foster<br>Co. Rpt. 67-130                                      | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Amler, PA 19002<br>Plant: 4635 W. Girard Ave.<br>Philadelphia, PA  |
| Type II                | Tite-Fit<br>Coating 30-35                | U.S. Testing Co.<br>Inc. Rpt. No.<br>S4311-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Amler, PA 19002<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA<br>5841 W. 56th St.<br>Chicago, IL<br>13113 Cooklin Lane<br>Houston, TX<br>37899 Miles Blvd.<br>Fremont, CA |
| Type II                | Tite-Fit<br>Coating 30-56                | U.S. Testing Co.<br>Inc. Rpt. No.<br>S4311-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Amler, PA 19002<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA<br>5841 W. 56th St.<br>Chicago, IL<br>13113 Cooklin Lane<br>Houston, TX<br>37899 Miles Blvd.<br>Fremont, CA |

Q85

OPL-19565

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|----------------------------|--|---|
| Type II                | CP10                       | U.S. Testing Co.<br>Rpt. 140624-1A &<br>Childers Products<br>Co. Rpt. A126 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Hertel St.<br>Bristol, PA         |
| Type II                | CP12                       | U.S. Testing Co.<br>Rpt. 140624-1A &<br>Childers Products<br>Co. Rpt. A126 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Hertel St.<br>Bristol, PA         |
| Type II                | IC-501                     | Birna Products<br>Corp. Rpt. 1460  | Insul-Coastic Div.<br>Birna Products Corp.<br>Jerome Hill M.<br>Sayreville, NJ 08872<br>Plant: Same address |
| Type II                | IC-541                     | Birna Products<br>Corp. Rpt. 1461  | Insul-Coastic Div.<br>Birna Products Corp.<br>Jerome Hill M.<br>Sayreville, NJ 08872<br>Plant: Same address |

QPL ACTION SHEET

QPL 19565-6 AND CQG. CODE

TYPING 1-29 PRINT 2/6 PANEL RETURNED

ACTION REQUIRED

ESTABLISH: \_\_\_\_\_

ADD: Amchem Rpt 72-157 b  
File - dit Testing 30-35 and  
dit - dit Testing 90-56

DELETE: \_\_\_\_\_

OTHER CHANGES: \_\_\_\_\_

QPL 19565-6

QUALIFICATIONS VALIDATED  
OCTOBER 1973

OPL-19565-7  
5 October 1973  
SUPERSEDING  
OPL-19565-6  
2 February 1973

QUALIFIED PRODUCTS LIST  
OF  
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
MIL-C-19565

FSC 8038

COATING COMPOUNDS, THERMAL INSULATION FIBRE  
COVERING - FIRE- AND WATER-RESISTANT, VAPOR-  
BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SHIP ENGINEERING CENTER.

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|--|---|---|
| Type I                 | Foster 60-60<br>Fire Resistive<br>Mastic | EEB 610174A<br>& Benjamin Foster<br>Co. Rpt. 67-130                                     | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ambler, PA 19002<br>Plant: 4635 W. Girard Ave.<br>Philadelphia, PA  |
| Type II                | Tite-Fit<br>Coating 30-35                | U.S. Testing Co.<br>Inc. Rpt. No.<br>54511-1 and Anchem<br>Products Inc.<br>Rpt. 72-156 | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ambler, PA 19002<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA<br>5841 W. 66th St.<br>Chicago, IL<br>13115 Conklyn Lane<br>Houston, TX<br>37899 Miles Blvd.<br>Fremont, CA |
| Type II                | Tite-Fit<br>Coating 30-56                | U.S. Testing Co.<br>Inc. Rpt. No.<br>54511-1 and Anchem<br>Products Inc.<br>Rpt. 72-156 | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ambler, PA 19002<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA<br>5841 W. 66th St.<br>Chicago, IL<br>13115 Conklyn Lane<br>Houston, TX<br>37899 Miles Blvd.<br>Fremont, CA |

1 of 2

Q83

QPL-19565

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|----------------------------|--|---|
| Type II                | CP30                       | U.S. Testing Co.<br>Spt. 140624-1A &<br>Childers Products<br>Co. Spt. A136 | Childers Products Co.<br>P.O. Box 503<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA |
| Type II                | CP32                       | U.S. Testing Co.<br>Spt. 140624-1A &<br>Childers Products<br>Co. Spt. A136 | Childers Products Co.<br>P.O. Box 503<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA |
| Type II                | IC-501                     | Birma Products<br>Corp. Spt. 1460  | Insul-Coastic<br>Birma Corp.<br>Jerome Hill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address      |
| Type II                | IC-541                     | Birma Products<br>Corp. Spt. 1461  | Insul-Coastic<br>Birma Corp.<br>Jerome Hill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address      |

**QPL ACTION SHEET**

QPL 19565 AND          COG. CODE           
 TYPING 10/4 PRINT          PANEL           
 RETURNED         

**ACTION REQUIRED**

ESTABLISH: \_\_\_\_\_  
 \_\_\_\_\_  
 ADD: 1 \_\_\_\_\_  
 \_\_\_\_\_  
 DELETE: \_\_\_\_\_  
 \_\_\_\_\_

*THQ - name & add - INSUL-COASTIC  
 OTHER CHANGES: BIRMA CORP (add/1220)*

QPL - 19565-7

QUALIFICATIONS VALIDATED  
OCTOBER 1973

OPL-19565-1  
8 July 1974  
SUPERSEDED  
OPL-19565-7  
5 October 1974

QUALIFIED PRODUCTS LIST  
OF  
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
MIL-C-19565

PSC 8030

COATING COMPOUNDS, THERMAL INSULATION PIPE  
COVERING - FIRE- AND WATER-RESISTANT, VAPOR-  
BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and such listing of a product is not intended to and does not constitute endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SHIP ENGINEERING CENTER.

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|--|---|--|
| Type I                 | Foster 60-60<br>Fire Resistive<br>Mastic | ES 610174A<br>& Benjamin Foster<br>Co. Rpt. 67-136                                      | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ashlar, PA 19802<br>Plant: 4635 W. Girard Ave.<br>Philadelphia, PA   |
| Type II                | Tite-Fit<br>Coating 30-31                | U.S. Testing Co.<br>Inc. Rpt. No.<br>64511-1 and Anchem<br>Products Inc.<br>Rpt. 71-158 | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ashlar, PA 19802<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, Pa.<br>5641 W. 66th St.<br>Chicago, IL<br>13115 Cooklin Lane<br>Houston, TX<br>37889 Miles Blvd.<br>Fremont, CA |
| Type II                | Tite-Fit<br>Coating 30-56                | U.S. Testing Co.<br>Inc. Rpt. No.<br>64511-1 and Anchem<br>Products Inc.<br>Rpt. 71-158 | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ashlar, PA 19802<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA<br>5641 W. 66th St.<br>Chicago, IL<br>13115 Cooklin Lane<br>Houston, TX<br>37889 Miles Blvd.<br>Fremont, CA  |

1 of 2

Q81

OPL-19565

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|----------------------------|--|--|
| Type II                | CF30                       | U.S. Testing Co.<br>Spt. 440624-1A &<br>Childers Products<br>Co. Spt. A126 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA                                    |
| Type II                | CF32                       | U.S. Testing Co.<br>Spt. 440624-1A &<br>Childers Products<br>Co. Spt. A126 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA                                    |
| Type II                | V225                       | U.S. Testing Co.<br>Ins Spt. No. 16771                                     | Eastern Cold Storage<br>Insulation Co., Inc.<br>730 3rd Avenue<br>New York, NY 10017<br>Plant: Grove & Rutgers Ave.<br>Cedar Grove, NY |
| Type II                | IC-501                     | Birna Products<br>Corp. Spt. 1460  | Insul-Coustic<br>Birna Corp.<br>Jernee Hill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address   |
| Type II                | IC-541                     | Birna Products<br>Corp. Spt. 1461  | Insul-Coustic<br>Birna Corp.<br>Jernee Hill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address   |

OPL ACTION SHEET

OPL - 19565-8 AND COQ CODE \_\_\_\_\_

TYPING 1/22 PRINT 9/9 PANEL \_\_\_\_\_  
RET'D \_\_\_\_\_

ACTION REQUIRED

ESTABLISH: \_\_\_\_\_

ADD: Dr. Eastern Cold Storage  
Insulation Co., Inc. - #1625

DELETE: \_\_\_\_\_

OTHER CHANGES: \_\_\_\_\_

OPL - 19565-8

QUALIFICATIONS VALIDATED  
OCTOBER 1973

QPL-19565-1  
14 November 1975  
SUPERSEDING  
QPL-19565-1  
8 July 1974

QUALIFIED PRODUCTS LIST  
OF  
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
MIL-C-19565

FSC 8030

COATING COMPOUNDS, THERMAL INSULATION PIPE  
COVERING - FIRE- AND WATER-RESISTANT, VAPOR-  
BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and such listing of a product is not intended to and does not constitute endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SHIP ENGINEERING CENTER.

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|--|---|---|
| Type I                 | Foster 60-60<br>Fire Resistive<br>Mastic | E28 (16174A<br>& Benjamin Foster<br>Co. Rpt. 67-110                                     | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ambler, PA 19002<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA   |
| Type II                | Tite-Fit<br>Coating 30-35                | U.S. Testing Co.<br>Inc. Rpt. No.<br>54311-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ambler, PA 19002<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA<br>8841 W. 66th St.<br>Chicago, IL<br>13115 Conklin Lane<br>Houston, TX<br>37899 Miles Blvd.<br>Fremont, CA |
| Type II                | Tite-Fit<br>Coating 30-36                | U.S. Testing Co.<br>Inc. Rpt. No.<br>54311-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | Anchem Products, Inc.<br>Foster Division<br>Brookside Avenue<br>Ambler, PA 19002<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA<br>8841 W. 66th St.<br>Chicago, IL<br>13115 Conklin Lane<br>Houston, TX<br>37899 Miles Blvd.<br>Fremont, CA |

1 of 2

079

QPL-19565

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|----------------------------|--|--|
| Type II                | CP30                       | U.S. Testing Co.<br>Rpt. 140624-1A &<br>Childers Products<br>Co. Rpt. A136 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA                                    |
| Type II                | CP32                       | U.S. Testing Co.<br>Rpt. 140624-1A &<br>Childers Products<br>Co. Rpt. A136 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA                                    |
| Type II                | VB25                       | U.S. Testing Co.<br>Inc Rpts. No. 16771<br>& No. 16771-1                   | Eastern Cold Storage<br>Insulation Co., Inc.<br>730 3rd Avenue<br>New York, NY 10017<br>Plant: Grove & Rutgers Ave.<br>Cedar Grove, NY |
| Type II                | IC-501                     | Birma Products<br>Corp. Rpt. 1460  | Insel-Coastic<br>Birma Corp.<br>Jerome Hill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address   |
| Type II                | IC-541                     | Birma Products<br>Corp. Rpt. 1461  | Insel-Coastic<br>Birma Corp.<br>Jerome Hill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address   |

QPL ACTION SHEET

QPL-19565-9 AND \_\_\_\_\_ COG. CODE \_\_\_\_\_  
 TYPING 10/14 PRINT \_\_\_\_\_ PANEL \_\_\_\_\_  
 RETURNED \_\_\_\_\_

ACTION REQUIRED

ESTABLISH: \_\_\_\_\_

ADD: Int Rpt U.S. Testing Co. Rpt  
Rpt No. 16771-1 to Eastern Cold  
Storage Insulation Co.'s  
Plant No. VB25

OTHER CHANGES: \_\_\_\_\_

QPL -  
19565-9



QUALIFICATIONS VALIDATED  
SEPTEMBER 1976

QPL 11-16-76  
QPL-19565-10  
23 September 1976  
SUPERSEEDING  
QPL-19565-9  
14 November 1973

QUALIFIED PRODUCTS LIST  
OF  
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
MIL-C-19565

FSC 8030

COATING COMPOUNDS, THERMAL INSULATION PIPE  
COVERING - FIRE- AND WATER-RESISTANT, VAPOR-  
BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the procurement of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SHIP ENGINEERING CENTER.

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|--|---|---|
| Type I                 | Poster 60-60<br>Fire Resistive<br>Mastic | EES 610174A<br>& Benjamin Foster<br>Co. Rpt. 67-139                                     | H.S. Fuller Co.<br>ADP/Foster Div.<br>P. O. Box 9695<br>Philadelphia, PA<br>19131<br>Plant: 4635 W. Girard Ave.<br>Philadelphia, PA   |
| Type II                | Tite-Fit<br>Coating 30-35                | U.S. Testing Co.<br>Inc. Rpt. No.<br>14511-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | H.S. Fuller Co.<br>ADP/Foster Div.<br>P. O. Box 9695<br>Philadelphia, PA 19131<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA<br>5841 W. 66th St.<br>Chicago, IL<br>13115 Conklin Lane<br>Houston, TX<br>17899 Miles Blvd.<br>Fremont, CA |
| Type II                | Tite-Fit<br>Coating 30-56                | U.S. Testing Co.<br>Inc. Rpt. No.<br>14511-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | H.S. Fuller Co.<br>ADP/Foster Div.<br>P. O. Box 9695<br>Philadelphia, PA 19131<br>Plants: 4635 W. Girard Ave.<br>Philadelphia, PA<br>5841 W. 66th St.<br>Chicago, IL<br>13115 Conklin Lane<br>Houston, TX<br>17899 Miles Blvd.<br>Fremont, CA |

1 of 2

Q77

OP-19563

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|----------------------------|--|---|
| Type II                | CP30                       | U.S. Testing Co.<br>Rpt. #40624-1A &<br>Childers Products<br>Co. Rpt. A126 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA |
| Type II                | CP32                       | U.S. Testing Co.<br>Rpt. #40624-1A &<br>Childers Products<br>Co. Rpt. A126 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plant: 2061 Martel St.<br>Bristol, PA |
| Type II                | IC-501                     | Birma Products<br>Corp. Rpt. 1460  | Insul-Coustic<br>Birma Corp.<br>Jernee Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address      |
| Type II                | IC-541                     | Birma Products<br>Corp. Rpt. 1461  | Insul-Coustic<br>Birma Corp.<br>Jernee Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address      |

2 of 2

0220

QUALIFICATIONS CERTIFIED  
SEPTEMBER 1976

QPL-19565-11  
22 June 1979  
SUPERSEDING  
QPL-19565-10  
23 September 1976

QUALIFIED PRODUCTS LIST  
OF  
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
MIL-C-19565

FSC 8038

COATING COMPOUNDS, THERMAL INSULATION PIPE  
COVERING - FIRE- AND WATER-RESISTANT, VAPOR-  
BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not constitute endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the contractor from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SEA SYSTEMS COMMAND, SEA 3112, DEPARTMENT OF THE NAVY, WASHINGTON, DC 20382.

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|--|---|--|
| Type I                 | Foster 68-60<br>Fire Resistive<br>Mastic | EEN 610174A<br>& Benjamin Foster<br>Co. Rpt. 67-130                                     | N.S. Fuller Co.<br>5228 Main St., N.E.<br>Minneapolis, MN 55421<br>Plant: 6107 Industrial Way<br>Houston, TX 77011   |
| Type II                | Tite-Fit<br>Coating 30-35                | U.S. Testing Co.<br>Inc. Rpt. No.<br>S4511-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | N.S. Fuller Co.<br>5228 Main St., N.E.<br>Minneapolis, MN 55421<br>Plants:<br>5841 W. 66th St.<br>Chicago, IL<br>13115 Conklin Lane<br>Houston, TX<br>37898 Miles Blvd.<br>Fremont, CA<br>6107 Industrial Way<br>Houston, TX 77011 |
| Type II                | Tite-Fit<br>Coating 30-36                | U.S. Testing Co.<br>Inc. Rpt. No.<br>S4511-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | N.S. Fuller Co.<br>5228 Main St., N.E.<br>Minneapolis, MN 55421<br>Plants: 5841 W. 66th St.<br>Chicago, IL<br>13115 Conklin Lane<br>Houston, TX<br>37898 Miles Blvd.<br>Fremont, CA<br>6107 Industrial Way<br>Houston, TX 77011    |

1 of 2

Q98

QPL-19565-11

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|----------------------------|--|---|
| Type II                | CP30                       | U.S. Testing Co.<br>Rpt. #48624-1A &<br>Childers Products<br>Co. Rpt. A136 | Childers Products Co.<br>P.O. Box 305<br>Bristol, PA 19007<br>Plants: 2061 Martel St.<br>Bristol, PA<br>1370 E. 40th St.<br>Houston, TX 77022 |
| Type II                | CP32                       | U.S. Testing Co.<br>Rpt. #48624-1A &<br>Childers Products<br>Co. Rpt. A136 | Childers Products Co.<br>P.O. Box 305<br>Bristol, PA 19007<br>Plants: 2061 Martel St.<br>Bristol, PA<br>1370 E. 40th St.<br>Houston, TX 77022 |
| Type II                | IC-501                     | Birma Products<br>Corp. Rpt. 1468  | Insul-Coustic<br>Birma Corp.<br>Jernee Hill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address  |
| Type II                | IC-541                     | Birma Products<br>Corp. Rpt. 1461  | Insul-Coustic<br>Birma Corp.<br>Jernee Hill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address  |

QPL ACTION SHEET

QPL 19565-11 AND \_\_\_\_\_ COG. CODE \_\_\_\_\_  
 TYPING 6/51 PRINT \_\_\_\_\_ PANEL \_\_\_\_\_  
 RETURNED \_\_\_\_\_

ACTION REQUIRED

ESTABLISH: \_\_\_\_\_

ADD: Disruptant for H.B. Fuller: 6109  
Andrews Way, Houston, TX  
② Disruptant for Childers: 1370E  
1370 E. 40th St, Houston TX  
 DELETE: Disruptant for H.B. Fuller: 6109  
Andrews Ave,  
Phila, Pa plant.

OTHER CHANGES: Disruptant address  
for H.B. Fuller.

QPL - 19565-11

2 of 2

U.S. GOVERNMENT PRINTING OFFICE: 1955-0-244-111-1000

Q76

15  
QUALIFICATIONS CERTIFIED  
SEPTEMBER 1974

OPL-19365-12  
13 September 1979  
SUPERSEDEDING  
OPL-19365-11  
22 June 1979

QUALIFIED PRODUCTS LIST

OF  
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION  
MIL-C-19561

FSC 8830

COATING COMPOUNDS, THERMAL INSULATION PIPE  
COVERING - FIRE- AND WATER-RESISTANT, VAPOR-  
BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not constitute endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the contractor from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SEA SYSTEMS COMMAND, SEA 3113, DEPARTMENT OF THE NAVY, WASHINGTON, DC 20361.

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|--|--|--|
| Type I                 | Poster 60-60<br>Fire Resistant<br>Mastic | EES 610174A<br>1 Benjamin Foster<br>Co. Rpt. 67-130                                    | H.B. Fuller Co.<br>5220 Main St., N.E.<br>Minneapolis, MN 55421<br>Plant: 6187 Industrial Way<br>Houston, TX 77011   |
| Type II                | Vite-Pit<br>Coating 30-35                | U.S. Testing Co.<br>Inc. Rpt. No.<br>S411-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | H.B. Fuller Co.<br>5220 Main St., N.E.<br>Minneapolis, MN 55421<br>Plants:<br>8441 W. 66th St.<br>Chicago, IL 60638<br>13115 Conklin Lane<br>Houston, TX 77034<br>37899 Miles Blvd.<br>Fremont, CA 94536<br>6187 Industrial Way<br>Houston, TX 77011 |
| Type II                | Vite-Pit<br>Coating 30-36AP              | U.S. Testing Co.<br>Inc. Rpt. No.<br>S411-1 and Anchem<br>Products Inc.<br>Rpt. 72-158 | H.B. Fuller Co.<br>5220 Main St., N.E.<br>Minneapolis, MN 55421<br>Plants:<br>8441 W. 66th St.<br>Chicago, IL 60638<br>13115 Conklin Lane<br>Houston, TX 77034<br>37899 Miles Blvd.<br>Fremont, CA 94536<br>6187 Industrial Way<br>Houston, TX 77011 |

1 of 2

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|----------------------------|--|---|
| Type II                | CP30                       | U.S. Testing Co.<br>Rpt. 448624-1A &<br>Childers Products<br>Co. Rpt. A126 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plants: 2061 Bertel St.<br>Bristol, PA 19007<br>1376 E. 40th St.<br>Houston, TX 77022 |
| Type II                | CP32                       | U.S. Testing Co.<br>Rpt. 448624-1A &<br>Childers Products<br>Co. Rpt. A126 | Childers Products Co.<br>P.O. Box 505<br>Bristol, PA 19007<br>Plants: 2061 Bertel St.<br>Bristol, PA 19007<br>1376 E. 40th St.<br>Houston, TX 77022 |
| Type II                | IC-501                     | Birma Products<br>Corp. Rpt. 1460  | Insul-Countie<br>Birma Corp.<br>Jernee Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address  |
| Type II                | IC-541                     | Birma Products<br>Corp. Rpt. 1461  | Insul-Countie<br>Birma Corp.<br>Jernee Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address  |

**QPL ACTION SHEET**

QPL 19565-12 AND \_\_\_\_\_ COG. CODE \_\_\_\_\_

TYPING 9/10/57 PRINT \_\_\_\_\_ PANEL \_\_\_\_\_

RETURNED \_\_\_\_\_

**ACTION REQUIRED**

ESTABLISH: \_\_\_\_\_

ADD: \_\_\_\_\_

DELETE: \_\_\_\_\_

OTHER CHANGES: Ch. Mfg. Co. to A.B. Faber's  
Type II Life-Fit Conting  
19565-12 20-562 include AFV per



Q74

QUALIFICATIONS CERTIFIED  
SEPTEMBER 1976

30

QPL-19565-14  
7 August 1980  
SUPERSEDING  
QPL-19565-13  
17 March 1980

QUALIFIED PRODUCTS LIST

FSC 8030

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-C-19565

COATING COMPOUNDS, THERMAL INSULATION PIPE  
COVERING - FIRE- AND WATER-RESISTANT, VAPOR-  
BARRIER AND WEATHER-RESISTANT

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the contractor from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL SEA SYSTEMS COMMAND, SEA 3112, DEPARTMENT OF THE NAVY, WASHINGTON, DC 20362.

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION               | TEST OR QUALIFICATION REFERENCE                      | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|--|--|--|
| Type I                 | Foster 60-60<br>Fire Resistive<br>Mastic | EES 610174/A &<br>Benjamin Foster<br>Co. Rpt. 67-130 | H.B. Fuller Co.<br>Foster Products Div.<br>6107 Industrial Way<br>Houston, TX 77011<br>Plant: Same address |

| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION                      | TEST OR QUALIFICATION REFERENCE  | MANUFACTURER'S NAME AND ADDRESS  |
|------------------------|---|--|--|
| Type II                | Tite-Fit<br>Coating<br>30-35AF<br>30-56AF(Gray) | U.S. Testing Co.<br>Inc. Rpt. No.<br>54511-1 and<br>Anchem Products<br>Inc. Rpt.<br>72-158 | H.B. Fuller Co.<br>Foster Products Div.<br>6107 Industrial Way<br>Houston, TX 77011<br>Plants:<br>5841 W. 66th St.<br>Chicago, IL 60638<br>13115 Conklin Lane<br>Houston, TX 77034<br>37899 Niles Blvd.<br>Fremont, CA 94536<br>6107 Industrial Way<br>Houston, TX 77011 |
| Type II                | Tite-Fit<br>Coating 30-56                       | U.S. Testing Co.<br>Inc. Rpt. No.<br>54511-1 and<br>Anchem Products<br>Inc. Rpt.<br>72-158 | H.B. Fuller Co.<br>Foster Products Div.<br>6107 Industrial Way<br>Houston, TX 77011<br>Plants:<br>5841 W. 66th St.<br>Chicago, IL 60638<br>13115 Conklin Lane<br>Houston, TX 77034<br>37899 Niles Blvd.<br>Fremont, CA 94536<br>6107 Industrial Way<br>Houston, TX 77011 |
| Type II                | CP30  | U.S. Testing Co.<br>Rpt. #40624-1A<br>& Childers<br>Products Co.<br>Rpt. A126              | Childers Products Co.<br>P. O. Box 505<br>Bristol, PA 19007<br>Plants:<br>2061 Martel St.<br>Bristol, PA 19007<br>1370 E. 40th St.<br>Houston, TX 77022  |



| GOVERNMENT DESIGNATION | MANUFACTURER'S DESIGNATION | TEST OR QUALIFICATION REFERENCE   | MANUFACTURER'S NAME AND ADDRESS   |
|------------------------|----------------------------|---|---|
| Type II                | CP32                       | U.S. Testing Co.<br>Rpt. #40624-1A<br>& Childers<br>Products Co.<br>Rpt. A126 | Childers Products Co.<br>P. O. Box 505<br>Bristol, PA 19007<br>Plants:<br>2061 Martel St.<br>Bristol, PA 19007<br>1370 E. 40th St.<br>Houston, TX 77022 |
| Type II                | IC-501                     | Birna Products<br>Corp. Rpt. 1460   | I-C Adhesives Co.<br>A Div. of Marathon<br>Ind., Inc.<br>262 Jernee Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address                             |
| Type II                | IC-541                     | Birna Products<br>Corp. Rpt. 1461   | I-C Adhesives Co.<br>A Div. of Marathon<br>Ind., Inc.<br>262 Jernee Mill Rd.<br>Sayreville, NJ 08872<br>Plant: Same address                             |