

FOIA 2000F110057
 LEMLE KELLEHER: 1940-1989 QPLS
 2/29/00

QPL#	AMEND#	TITLE	DATE	PAGES	SUBTOT
91-2		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	07/01/49	3	
91-3		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	09/01/49	3	
91-4		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	03/01/50	3	
91-6		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	09/01/50	3	
91-7		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	07/01/51	1	
91-8		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	08/01/51	2	
91-10		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	01/01/52	1	
91-11		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	02/01/52	2	
91-12		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	03/01/52	2	
91-15		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	09/01/52	2	
91-16		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	11/01/52	2	
91-17		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	12/01/52	2	
91-18		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	02/01/53	2	
91-19		Capacitors, Paper-Dielectric, Fixed (Non-Metallic Cases)	04/01/52	2	
					30

QPL-91-2
1 July 1949
Superseding
QPL-91-1
1 January 1949

ARMY - NAVY - AIR FORCE

LIST OF PRODUCTS
QUALIFIED UNDER

NATIONAL MILITARY ESTABLISHMENT SPECIFICATION

JAN-C-91

CAPACITORS, PAPER-DIELECTRIC, FILLED (NON-METALLIC CASES)

Any product listed herein has been qualified under the requirements for the product as specified in the specification indicated. Revisions of this list will be issued as necessary.

The listing of a product herein does not release the manufacturer from compliance with provisions of the specification.

The reproduction of or reference to this list in whole or in part for advertising purposes is expressly forbidden.

MUNITIONS BOARD STANDARDS AGENCY

FOR OFFICIAL USE ONLY

This Qualified Products List may be made available only to those contractors or prospective bidders that require this product in supplying materiel under contract for the Armed Services.

QPL- 91-2
1 July 1949

FOR OFFICIAL USE ONLY

Govt. Designation	Mfgr's Designation	Test or Qualification Reference	Mfgr's Name and Address
<p>6X35 Char. A and X, all exp., volts. and tols. for 3000 waf and 6000 waf, W tol. for 10,000 and 20,000 waf.</p>		<p>ANKEBA-3680 21 Apr 48</p>	<p>Cornell Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address</p>
<p>6X35 Char. A and X, exp. values thru 10,000 waf, all volts, and tols.</p>	Type 337	<p>ANKEBA-6030 27 May 48</p>	<p>Micromold Radio Corporation 1067 Flushing Blvd. Brooklyn 6, N. Y. Plant: Same address</p>
<p>6X35 Char. A and X, exp. values from 6000 to 20,000 waf, 600 and 300 volts and all tols.</p>	Type 4040	<p>ANKEBA-656-A 30 Apr 48</p>	<p>Syngma Electric Company Marion, Illinois Plant: Same address</p>
<p>6X Char. A, exp. values 3000 and 6000 waf, all tols; char. X exp. values 10,000 and 20,000 waf, all tols.</p>		<p>ANKEBA-661-A 23 Apr 48</p>	<p>Syngma Electric Company 189 Beaver Street North Adams, Mass. Plant: Same address</p>

FOR OFFICIAL USE ONLY

QPL-91-2
1 July 1949

Govt. Designation	Mfr's Designation	Test or Qualification Reference	Mfr's Name and Address
QW35 Char. A, B, P and K; all exp. values, volts, and amps.		AMEXSA-178-X 20 Oct 48	Tube Deutschmann Corporation 921 Providence Highway Worwood, Mass. Plant: Same address
QW42 Char. A, P, E, B; all exp. values volts, and amps.		AMEXSA-2601 4 Aug 48	Sprague Electric Company 189 Beaver Street North Adams, Mass. Plant: Same address
QW43 Char. A, P, E, B; all exp. values volts, and amps.		AMEXSA-2602 4 Aug 48	Sprague Electric Company 189 Beaver Street North Adams, Mass. Plant: Same address

QPL-91

ARMY - NAVY - AIR FORCE
QPL-91-3
1 September 1948
Superseding
QPL-91-2
1 July 1949

LIST OF PRODUCTS
QUALIFIED UNDER

MILITARY SPECIFICATION
JAN-C-81

CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

Any product listed herein has been qualified under the requirements for the product as specified in the specification indicated. Revisions of this list will be issued as necessary.

The listing of a product herein does not release the manufacturer from compliance with provisions of the specification.

The reproduction of or reference to this list in whole or in part for advertising purposes is expressly forbidden.

MUNITIONS BOARD STANDARDS AGENCY

FOR OFFICIAL USE ONLY

This Qualified Products List may be made available only to those contractors or prospective bidders that require this product in supplying materiel under contract for the Armed Services.

QPL-81-3
1 September 1949

FOR OFFICIAL USE ONLY

Govt. Designation	Mfgr's Designation	Test or Qualification Reference	Mfgr's Name and Address
CN35 In chrs. A and B, all cap. values, volts, and tele.		ANEMIA-553H 15 Aug 48	Cornell Dubilier Electric Corp. 1606 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CN35 Chr. A and B, cap. values thru 10,000 uuf, all volts, and tele.	Type 237	ANEMIA-525C 27 May 48	Micamold Radio Corporation 1087 Flushing Blvd. Brooklyn 6, N. Y. Plant: Same address
CN35 Chr. A and B cap. values from 5000 to 10,000 uuf, 500 and 300 volts and all tele.	Type 4045	ANEMIA-556-A 10 Apr 48	Bangamo Electric Company Marion, Illinois Plant: Same address
CN35 Chr. A, cap. values 5000 and 5000 uuf, all tele; chr. B, all cap. values, all tele.		ANEMIA-551-A 23 Apr 48	Syracuse Electric Company 159 Beaver Street North Adams, Mass. Plant: Same address
CN35 Chr. A, B, F and E, all cap. values, volts, and tele.		ANEMIA-173-B 10 Oct 48	Toke Deutschmann Corporation 821 Providence Highway Norwood, Mass. Plant: Same address

FOR OFFICIAL USE ONLY

QPL-91-3
1 September 1949

Govt. Designation	Mfr's Designation	Test or Qualification Reference	Mfr's Name and Address
Q142 Char. A.P., E,R; all cap. values, volts. and tois.		ANKEBA-2601 4 Aug 48	Sprague Electric Company 189 Beaver Street North Adams, Mass. Plant: Same address
Q143 Char. A.P., E,R; all cap. values, volts. and tois.		ANKEBA-2602 4 Aug 48	Sprague Electric Company 189 Beaver Street North Adams, Mass. Plant: Same address.

3 of 3

QPL-91-4
1 March 1950
Superseding
QPL-91-3
1 September 1949

ARMY-NAVY-AIR FORCE
LIST OF PRODUCTS
QUALIFIED UNDER

MILITARY SPECIFICATION

JAN-C-91

CAPACITORS, PAPER-DIELECTRIC, FILLED (NON-METALLIC CASES)

Any product listed herein has been qualified under the requirements for the product as specified in the specification indicated. Revisions of this list will be issued as necessary.

The listing of a product herein does not release the manufacturer from compliance with provisions of the specification.

The reproduction of or reference to this list in whole or in part for advertising purposes is expressly forbidden.

DEFINITIONS BOARD STANDARDS AGENCY

FOR OFFICIAL USE ONLY

This Qualified Products List may be made available only to those contractors or prospective bidders that require this product in supplying material under contract for the Armed Services.

QPL-91-4

1 of 3

QPL-91-4
1 March 1950

FOR OFFICIAL USE ONLY

Govt. Designation	Mfgr's Designation	Test or Qualification Reference	Mfgr's Name and Address
QX30 In char. A, E and R, all cap. values and tols.		ANESBA-11035 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Massachusetts Plant: Same address
QX35 In chars. A and E, all cap. values, volts. and tols.		ANESBA-362H 15 Aug 49	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Massachusetts Plant: Same address
QX35 Char. A and E, cap. values thru 10,000 uuf, all volts, and tols.	Type 337	ANESBA-6250 27 May 48	Micomold Radio Corporation 1067 Flushing Blvd. Brooklyn, New York Plant: Same address
QX35 Char. A and E, cap. values from 6000 to 20,000 uuf, 600 and 300 volts and all tols.	Type 4040	ANESBA-656-A 30 Apr 48	Saugamo Electric Company Morton, Illinois Plant: Same address
QX35 Char. A, cap. values 3000 and 6000 uuf, all tols; char. E, all cap. values, all tols.		ANESBA-661-A 23 Apr 48	Sprague Electric Company 143 Beaver Street North Adams, Massachusetts Plant: Same address
QX35 Char. A, E, P and R, all cap. values, volts. and tols.		ANESBA-172-E 20 Oct 48	Tobe Deutschmann Corporation 921 Providence Highway Norwood, Massachusetts Plant: Same address

FOR OFFICIAL USE ONLY

QPL-91-4
1 March 1950

Govt. Designation	Mfgr's Designation	Test or Qualification Reference	Mfgr's Name and Address
CN42 Char. A,P,E, R; all cap. values, volts. and tols.		ANEXSA-2601 4 Aug 48	Sprague Electric Company 189 Beaver Street North Adams, Massachusetts Plant: Same address
CN43 Char. A,P,E, R; all cap. values, volts. and tols.		ANEXSA-2602 4 Aug 48	Sprague Electric Company 189 Beaver Street North Adams, Massachusetts Plant: Same address

QPL-91-4
3 of 3

A23894

QPL-91-6
1 September 1950
Superseding
QPL-91-5
1 August 1950

ARMY-NAVY-AIR FORCE
LIST OF PRODUCTS
QUALIFIED UNDER

MILITARY SPECIFICATION

JAN-C-91

CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

Any product listed herein has been qualified under the requirements for the product as specified in the specification indicated. Revisions of this list will be issued as necessary.

The listing of a product herein does not release the manufacturer from compliance with provisions of the specification.

The reproduction of or reference to this list in whole or in part for advertising purposes is expressly forbidden.

MUNITIONS BOARD STANDARDS AGENCY

FOR OFFICIAL USE ONLY

This Qualified Products List may be made available only to those contractors or prospective bidders that require this product in supplying material under contract for the Armed Services.

QPL-91-6

1 of 3

MIL QPL

QPL-91-6
1 September 1950

FOR OFFICIAL USE ONLY

Govt. Designation	Mfgr's Designation	Test or Qualification Reference	Mfgr's Name and Address
CN20 In chars. A, P and H, all cap. values and tols.		ASESA-11052 16 Aug 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CN22 - No qualified suppliers currently available for this type.			
CN30 In chars. A, E and H, all cap. values and tols.		ASESA-11035 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CN35 In chars. A and E, all cap. values, volts., and tols.		ASESA-362H 15 Aug 49	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CN15 Char. A and E; cap. values thru 10,000 uuf, all volts; and tols.	Type 337	ANEESA-6250 27 May 48	Micasoid Radio Corp. 1067 Flushing Blvd. Brooklyn, New York Plant: Same address
CN15 Char. A and E; cap. values from 6000 to 20,000 uuf, 600 and 300 volts and all tols.	Type 4040	ANEESA-656-A 30 Apr 48	Sangamo Electric Company Marion, Illinois Plant: Same address
CN15 Char. A, cap. values 3000 and 6000 uuf, all tols; char E, all cap. values, all tols.		ANEESA-661-A 23 Apr 48	Sprague Electric Company 189 Beaver Street North Adams, Mass. Plant: Same address
MIL QPL		QPL-91-6 2 of 3	

Govt. Designation	Mfgr's Designation	Test or Qualification Reference	Mfgr's Name and Address
CN35 Char. A,E, P and R, all cap. values, volts., and tols.		ANESIA-172-E 20 Oct 48	Tobe Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address
CN41 In char. S, all cap. values, volts., and tols.		ASESA-11053 30 June 50	Tobe Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address
CN42 Char. A,P,E R; all cap. values, volts., and tols.		ANESIA-2601 4 Aug 48	Sprague Electric Co. 189 Beaver St. North Adams, Mass. Plant: Same address
CN43 Char. A,P, E,R; all c.p. values, volts., and tols.		ANESIA-2602 4 Aug 48	Sprague Electric Co. 189 Beaver St. North Adams, Mass. Plant: Same address
CN44	- No qualified suppliers currently available for this type.		

NOTICE: This list may be made available to suppliers or prospective buyers who require the list in forwarding requests to the Military Specifications. Expiration of date of the list is while in part for information only. It is not intended to be used as a contract or order.

DL-91-7
1 July 1951
Superseding
DL-91-6
1 September 1950

MILITARY QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
JAN-C-91

CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

All products listed herein have been qualified under the requirements for the product as specified in the latest issue of the applicable specification. Reference to this list will be issued as necessary. The listing of a product does not relieve the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Date of Qualification Reference	Manufacturer's Name and Address
CM10 In chars. I, P and K, all esp. values and tolerance.		ASMSA-1105J 16 Aug 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM11 - No qualified suppliers currently available for this type.			
CM10 In chars. I, K and R, all esp. values and tolerance.		ASMSA-1105J 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM15 In chars. I and K, all esp. values, tolerance, and tolerance.		ASMSA-102M 15 Aug 49	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM15 Char. I and K, esp. values from 10,000 wuf, all tolerance, and tolerance.	Type 331	ASMSA-615C 27 May 48	Wiscam Radio Corp. 1007 Flushing Blvd. Brooklyn, New York Plant: Same address
CM15 Char. I and K, esp. values from 6000 to 20,000 wuf, 600 and 300 volts and all tolerance.	Type 404C	ASMSA-676-4 30 Apr 48	Sargent Electric Company Warren, Illinois Plant: Same address
CM15 Char. I, esp. values 3000 and 6000 wuf, all tolerance; char K, all esp. values, all tolerance.		ASMSA-661-4 23 Apr 48	Sprague Electric Company 157 Beaver Street North Adams, Mass. Plant: Same address
CM15 Char. I, K, P and R, all esp. values, tolerance, and tolerance.		ASMSA-177-8 20 Oct 44	Tuto Leutschmann Corp. 211 Providence Highway Barnstable, Mass. Plant: Same address
CM11 In chars. I and K, all esp. values, tolerance, and tolerance.		ASMSA-1105J-4 22 June 51	Tube Development Corp. 211 Providence Highway Barnstable, Mass. Plant: Same address
CM12 Char. I, P, K, R; all esp. values, tolerance, and tolerance.		ASMSA-1601 4 Aug 48	Sprague Electric Co. 157 Beaver St. North Adams, Mass. Plant: Same address
CM12 Char. I, P, K, R; all esp. values, tolerance, and tolerance.		ASMSA-1602 4 Aug 48	Sprague Electric Co. 157 Beaver St. North Adams, Mass. Plant: Same address

CM14 - No qualified suppliers currently available for this type.

1 of 1
DL-91-7

NOTICE: This list may be made available to suppliers or prospective bidders who request the list as furnishing supplies to the Military Departments. Reproduction in use of the list in whole or in part for other purposes is prohibited, and violation will be cause for removal from this list.

QPL-91-6
1 August 1951
Superseding
QPL-91-7
1 July 1951

MILITARY QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
JAN-C-91
CAPACITORS, PAPER-DIELECTRIC, FILM (NON-METALLIC CASES)

All products listed herein have been qualified under the requirements for the products as specified in the latest issue of the applicable specifications. Revision of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
QNC0 In specs. J, F and H, all cap. values and tolerance.		ASBMA-11052 16 Aug 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
QNC1 - No qualified suppliers currently available for this type.			
QNC0 In specs. A, E and H, all cap. values and tolerance.		ASBMA-11055 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
QNC3 In specs. A and E, all cap. values, voltage, and tolerance.		ASBMA-342H 15 Aug 49	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
QNC5 Spec. A and E, cap. values from 10,000 uf, all voltage, and tolerance.	Type 337	ASBMA-4150 27 May 48	Winnald Radio Corp. 1087 Flushing Blvd. Brooklyn, New York Plant: Same address
QNC6 Spec. A and E, cap. values from 4000 to 20,000 uf, 600 and 300 volts and all tolerance.	Type 404C	ASBMA-416-1 30 Apr 48	Langone Electric Company Marion, Illinois Plant: Same address
QNC7 Spec. A, cap. values 3000 and 4000 uf, all voltage; spec. E, all cap. values, all tolerance.		ASBMA-411-1 13 Apr 48	Sprague Electric Company 189 Beaver Street North Adams, Mass. Plant: Same address
QNC8 Spec. A, E, F and H, all cap. values, voltage, and tolerance.		ASBMA-179-1 20 Oct 48	Tube Deutchman Corp. 921 Providence Highway Harwood, Mass. Plant: Same address
QNC1 In specs. E and H, all cap. values, voltage, and tolerance.		ASBMA-11053-1 23 June 51	Tube Deutchman Corp. 921 Providence Highway Harwood, Mass. Plant: Same address
QNC1 Spec. J, P, E, H; all cap. values, voltage, and tolerance.		ASBMA-340L 4 Aug 48	Sprague Electric Co. 189 Beaver St. North Adams, Mass. Plant: Same address
QNC1 In specs. A and F, all cap. values, voltage, and tolerance.		ASBMA-11090 13 July 51	Winnald Radio Corp. 1087 Flushing Blvd. Brooklyn, New York Plant: Same address

QPL-PL-4
3 August 1951

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
QNA3 Char. J, P, R, S; all cap. voltage, value, and tolerance.		MIL-STD-2002 & Aug 48	Sprague Electric Co. 189 Beaver St. North Adams, Mass. Plant; Same address

QNA4 - No qualified suppliers currently available for this type.

NOTICE: This list may be available to suppliers or prospective bidders who require its list in forwarding supplies to the Military Departments. Reproduction or use of the list in whole or in part for other purposes is prohibited, and violators will be cause for removal from the list.

QPL-71-10
1 January 1952
Superseding
QPL-71-9
1 October 1951

MILITARY QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
JAN-C-71
CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

All products listed herein have been qualified under the requirements for the product as specified in the latest issue of the applicable specification. Revisions of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
CR20 In chars. A, P, R, S, R and S, all cap. values and tolerance.		ANEM-1107A-4 12 Dec 51	Cornell-Dubilier Electric Corp. 1405 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CR20 In chars. A, S and S, all cap. values and tolerance.		ANEM-1107S 17 Feb 52	Cornell-Dubilier Electric Corp. 1405 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CR25 In chars. A, S, R and S; all cap. values, voltage, and tolerance.		ANEM-144-E 12 Dec 51	Cornell-Dubilier Electric Corp. 1405 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CR25 Char. A and S, cap. values thru 10,000 uuf, all voltage, and tolerance.	Type 337	ANEM-618C 27 May 48	Hiernald Radio Corp. 1007 Flushing Blvd. Brooklyn, New York Plant: Same address
CR25 Char. A and E, cap. values from 6000 to 20,000 uuf, 600 and 300 volts and all tolerance.	Type 442C	ANEM-456-A 30 Apr 48	Saugame Electric Company Horton, Illinois Plant: Same address
CR25 Char. A, cap. values 3000 and 6000 uuf, all tolerance, S, all cap. values, all tolerance.		ANEM-641-A 23 Apr 48	Sprague Electric Company 187 Beaver Street North Adams, Mass. Plant: Same address
CR25 Char. A, S, P and S, all cap. values, voltage, and tolerance.		ANEM-173-B 20 Oct 48	Yoko Deutschmann Corp. 921 Providence Highway Haverhill, Mass. Plant: Same address
CR25 In chars. S and S, all cap. values, voltage, and tolerance.		ANEM-1107A-4 21 June 51	Yoko Deutschmann Corp. 921 Providence Highway Haverhill, Mass. Plant: Same address
CR25 Char. A, P, S, S; all cap. values, voltage, and tolerance.		ANEM-1601 6 Aug 48	Sprague Electric Company 187 Beaver Street North Adams, Mass. Plant: Same address
CR25 In chars. A and P, all cap. values, voltage, and tolerance.		ANEM-1109P 11 July 51	Hiernald Radio Corp. 1007 Flushing Blvd. Brooklyn, New York Plant: Same address
CR25 Char. A, P, S, S; all cap. values, voltage, and tolerance.		ANEM-1601 6 Aug 48	Sprague Electric Company 187 Beaver Street North Adams, Mass. Plant: Same address

NOTICE: This list may be made available to suppliers or prospective bidders who require the list in furnishing supplies to the Military Department. Reproduction or use of the list in whole or in part for other purposes is prohibited, and violation will be cause for removal from this list.

QML-91-11
1 February 1952
Superseding
QML-91-10
1 January 1952

MILITARY QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
JAN-0-91
CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

file
2/25/52
AL

All products listed herein have been qualified under the requirements for the product as specified in the latest issue of the applicable specification. Revisions of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
CM20 In chars. A, P, R, S and N, all cap. values and tolcs.		ASMSA-11054-A 12 Dec 51	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM20 In chars. A, R and S, all cap. values and tolcs.		ASMSA-11035 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM35 In chars. A, S, R and B; all cap. values, volts., and tolcs.		ASMSA-102-K 12 Dec 51	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM35 Char. A and S, cap. values from 10,000 wuf, all volts, and tolcs.	Type 337	ASMSA-6250 27 May 48	Miscanold Radio Corp. 1007 Flushing Blvd. Brooklyn, New York Plant: Same address
CM35 Char. A and S, cap. values from 6000 to 20,000 wuf, 600 and 300 volts and all tolcs.	Type 4210	ASMSA-656-A 30 Apr 48	Sprague Electric Company Merion, Illinois Plant: Same address
CM35 Char. A, cap. values 3000 and 6000 wuf, all tolcs; char. S, all cap. values, all tolcs.		ASMSA-661-A 23 Apr 48	Sprague Electric Company 157 Beaver Street North Adams, Mass. Plant: Same address
CM35 Char. A, S, P and R, all cap. values, volts, and tolcs.		ASMSA-172-B 20 Oct 48	Yobe Deutchmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address
CM41 In chars. S, R and B, all cap. values, volts., and tolcs.		ASMSA-11053-B 24 Dec 51	Yobe Deutchmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address
CM43 Char. A, P, S, R; all cap. values, volts., and tolcs.		ASMSA-2611 4 Aug 48	Sprague Electric Company 157 Beaver Street North Adams, Mass. Plant: Same address
CM43 In chars. A and P, all cap. values, volts, and tolcs.		ASMSA-11090 12 July 51	Miscanold Radio Corp. 1007 Flushing Blvd. Brooklyn, New York Plant: Same address
CM43 Char. A, P, S, R; all cap. values, volts., and tolcs.		ASMSA-1602 4 Aug 48	Sprague Electric Company 157 Beaver Street North Adams, Mass. Plant: Same address

CR 6-1584

ABSA Routine Forwarding Memorandum

Date 7 - FEB 1952

To: Chief, Bureau of Ships
Navy Department
Washington 25, D. C.

Attn: Specification & Qualified Products List
Administration & Coordination Branch
Code 357

1. Forwarded _____

_____ As a matter under your cognizance.

_____ For information and/or file.

_____ For comment and/or recommendation.

Remarks:

ELLIOT SHERMAN
Chief, Test & Approvals Division

NOTICE: This list may be made available to suppliers or prospective bidders who require the list in furnishing supplies to the Military Departments. Reproduction or use of this list in whole or in part for other purposes is prohibited, and violation will be cause for removal from this list.

QL-91-18
 1-18-53
 Superseding
 QL-91-11
 1 February 1952
file
3/28/53
R.Y.

MILITARY QUALIFIED PRODUCTS LIST
 OF
 PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

WM-6-91

CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

All products listed herein have been qualified under the requirements for the products as specified in the latest issue of the applicable specification. Revision of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
CM70 In charts A, P, S, R and H, all cap. values and tolerance.		AMSL-11052-A 12 Dec 51	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM90 In charts A, R and H, all cap. values and tolerance.		AMSL-11015 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM35 In charts A, B, R and S; all cap. values, voltage, and tolerance.		AMSL-362-E 12 Dec 51	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM35 Char. A and H, cap. values above 10,000 m.f., all voltage, and tolerance.	Type 337	AMSL-619 27 May 48	Micamold Radio Corp. 1067 Flushing Blvd. Brooklyn, New York Plant: Same address
CM35 Char. A and H, cap. values from 6000 to 10,000 m.f., 600 and 300 volt and all tolerance.	Type 4010	AMSL-656-A 30 Apr 48	Saugus Electric Co. Marion, Illinois Plant: Same address
CM35 Char. A, cap. values 3000 and 6000 m.f., all tolerance; char. H, all cap. values, all tolerance.		AMSL-661-A 23 Apr 48	Saugus Electric Co. 127 Beaver Street North Adams, Mass. Plant: Same address
CM35 Char. A, B, P and H, all cap. values, voltage, and tolerance.		AMSL-171-B 20 Oct 48	Tobe Deutschemann Corp. 211 Providence Highway Norwood, Mass. Plant: Same address
CM1 In charts B, R and S, all cap. values, voltage, and tolerance.		AMSL-11051-B 28 Dec 51	Tobe Deutschemann Corp. 211 Providence Highway Norwood, Mass. Plant: Same address
CM1 Char. A, P, H, A; all cap. values, voltage, and tolerance.		AMSL-2601 4 Aug 48	Saugus Electric Co. 127 Beaver Street North Adams, Mass. Plant: Same address
CM1 In charts A and P, all cap. values, voltage, and tolerance.		AMSL-11090 17 July 51	Micamold Radio Corp. 1067 Flushing Blvd. Brooklyn, New York Plant: Same address

QPL-91-12
1 March 1952

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
QPL Chaf. A, P, S, R; all cap. valves, valve, and tools.		ASME-2602 4 Aug 48	Sprague Electric Co. 187 Leaver Street North Adams, Mass. Plant: Same address
QPL In chaf. A, P, S and R, all cap. valve and tools.		ASME-11176 8 Feb 52	Toho Deutzman Corp. 921 Providence Highway Roslindale, Mass. Plant: Same address

NOTICE: This list may be made available to suppliers or prospective bidders who require the list in furnishing supplies to the Military Departments. Reproduction or use of the list in whole or in part for other purposes is prohibited, and violation will be cause for removal from this list.

File, 10/1/52
 QPL-91-15
 1 September 1952
 Superceding
 QPL-91-14
 1 July 1952

MILITARY QUALIFIED PRODUCTS LIST
 OF
 PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

JAN-0-91

CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

All products listed herein have been qualified under the requirements for the product as specified in the latest issue of the applicable specification. Revisions of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Date of Qualification Reference	Manufacturer's Name and Address
CE20 All char., cap. values and tols.		ANEMA-11052-B 30 July 52	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CE20 All char., cap. values and tols.		ANEMA-11173-A 25 July 52	Miscold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CE22 All cap. values and tols., in char. A, E, F and H.		ANEMA-11164 25 July 52	Miscold Radio Corp. 1087 Flushing Avenue Brooklyn 37, New York Plant: Same address
CE30 In char. A, E and H, all cap. values and tols.		ANEMA-11035 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CE35 All char., cap values, volts. and tols.		ANEMA-162-L 1 Aug 52	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CE35 In all cap. values and tols. for char. A and H.		ANEMA-625-D 29 Feb 52	Miscold Radio Corp. 1087 Flushing Blvd. Brooklyn 37, New York Plant: Same address
CE35 Char. A and E, cap. values from 6000 to 20,000 uuf, 100 and 300 volts and all tols.	Type #040	ANEMA-656-A 30 Apr 48	Sangamo Electric Co. Marion, Illinois Plant: Same address
CE35 Char. A, cap. values 3000 and 6000 uuf, all tols; char. E, all cap. values, all tols.		ANEMA-661-A 23 Apr 48	Syracuse Electric Co. 187 Beaver Street North Adams, Mass. Plant: Same address
CE35 Char. A, E, F and H, all cap. values, volts, and tols.		ANEMA-172-R 20 Oct 48	Toke Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address

QPL-91-15
1 September 1972

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
CM41 In chars. B, E and S, all cap. values, volts, and tols.		ANRMA-11073-B 28 Dec 51	Tobe Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address
CM42 Char. A, F, H, R; all cap. values, volts., and tols.		ANRMA-7601 4 Aug 48	Sprague Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CM43 In all chars, cap. values, and tols.		ANRMA-11090-A 13 Mar 52	Micamold Radio Corp. 1067 Flushing Blvd. Brooklyn 37, New York Plant: Same address
CM44 Char. A, F, H, R; all cap. values, volts., and tols.		ANRMA-7602 4 Aug 48	Sprague Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CM45 In chars. A, F, E and H, all cap. values and tols.		ANRMA-11126 8 Feb 52	Tobe Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address

NOTICE: This list may be made available to suppliers or prospective bidders who require the list in furnishing supplies to the Military Department. Reproduction or use of the list in whole or in part for other purposes is prohibited, and violation will be cause for removal from this list.

2-20 1208 12/1
 QPL-91-16
 1 November 1952
 Superseding
 QPL-91-15
 1 September 1952

MILITARY QUALIFIED PRODUCTS LIST
 OF
 PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

JAN-C-91

CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

All products listed herein have been qualified under the requirements for the product as specified in the latest issue of the applicable specification. Revisions of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
CW20 All char., cap. values and tols.		ANEMA-11052-D 1 Oct 52	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CW20 All char., cap. values and tols.		ANEMA-11173-A 25 July 52	Micanold Radio Corp. 1067-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CW22 All char., cap. values and tols.		ANEMA-11164-A 2 Oct 52	Micanold Radio Corp. 1067-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CW30 In char. A, E and R, all cap. values and tols.		ANEMA-11035 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CW35 All char., cap. values, volts. and tols.		ANEMA-162-L 1 Aug 52	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CW35 In all cap. values and tols. for char. A and R.		ANEMA-625-D 29 Feb 52	Micanold Radio Corp. 1067-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CW35 Char. A and R, cap. values from 6000 to 20,000 uf, 400 and 300 volts and all tols.	Type 4040	ANEMA-656-A 30 Apr 48	Sangamo Electric Co. Earlton, Illinois Plant: Same address
CW35 Char. A, cap. values 3000 and 6000 uf, all tols; char. R, all cap. values, all tols.		ANEMA-661-A 23 Apr 48	Syracuse Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CW35 Char. A, E, F and R, all cap. values, volts, and tols.		ANEMA-172-B 20 Oct 48	Toke Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address

DEC 1952

QPL-91-16
1 November 1952

Government Designation	Manufacturer's Designation	Factor Qualification Reference	Manufacturer's Name and Address
CM41 All cap. values and tol. in chars. A, F, E, H, and N.		A2ESA-11177 10 Oct 52	Migemold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CM41 In chars. E, R and S, all cap. values, volts, and tol.		A2ESA-11053-B 28 Dec 51	Tobe Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address
CM42 Char. A, F, E, H, all cap. values, volts, and tol.		ANESA-2601 4 Aug 48	Sprague Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CM43 In all chars, cap. values, and tol.		A2ESA-11090-A 13 Mar 52	Migemold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CM43 Char. A, F, E, H, all cap. values, volts, and tol.		ANESA-2602 4 Aug 48	Sprague Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CM43 In chars. A, F, E and H, all cap. values and tol.		A2ESA-11126 8 Feb 52	Tobe Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address

NOTICE: This list may be made available to suppliers or prospective bidders who require the list in furnishing supplies to the Military Departments. Reproduction or use of the list in whole or in part for other purposes is prohibited, and violation will be cause for removal from this list.

QPL-91-17
1 December 1952
Superseding
QPL-91-16
1 November 1952

MILITARY QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
JAR-C-91
CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

All products listed herein have been qualified under the requirements for the products as specified in the latest issues of the applicable specifications. Revisions of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
CR20 All char., cap. values and volts.		ANESMA-11052-C 1 Oct 52	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CR30 All char., cap. values and volts.		ANESMA-11153-A 25 July 52	Micronoid Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CR35 All char., cap. values and volts.		ANESMA-11164-B 24 Oct 52	Micronoid Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CR30 In char. A, E and H, all cap. values and volts.		ANESMA-11035 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CR35 All char., cap. values, volts, and volts.		ANESMA-362-L 1 Aug 52	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CR35 In all cap. values and volts. For char. A and B.		ANESMA-625-D 29 Feb 52	Micronoid Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CR35 Char. A and H, cap. values from 6000 to 50,000 wuf, 400 and 300 volts and all volts.	Type 404C	ANESMA-656-A 30 Apr 48	Sangamo Electric Co. Marion, Illinois Plant: Same address
CR35 Char. A, cap. values 1000 and 6000 wuf, all volts; char. H, all cap. values, all volts.		ANESMA-661-A 23 Apr 48	Syracuse Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CR35 Char. A, H, F and R, all cap. values, volts, and volts.		ANESMA-172-B 20 Oct 48	Tope Deutchmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address

31 DEC 1952

QPL-91-17
1 December 1952

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
CM41 All cap. values and tols. in chars. A, P, K, R, and H.		ASESA-11177 10 Oct 52	Micamold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CM41 In chars. K, R and S, all cap. values, volts, and tols.		ASESA-11093-B 28 Dec 51	Toke Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address
CM42 All chars., cap val- ues and tols.		ASESA-11178 30 Oct 52	Micamold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CM42 Char. A, P, K, R; all cap. values, volts, and tols.		AMEESA-2601 4 Aug 48	Sprague Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CM43 In all chars, cap. values, and tols.		ASESA-11090-A 13 Mar 52	Micamold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CM43 Char. A, P, K, R; all cap. values, volts, and tols.		AMEESA-2602 4 Aug 48	Sprague Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CM43 In chars. A, P, K and R, all cap. values and tols.		ASESA-11126 8 Feb 52	Toke Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address

NOTICE: This list may be made of ¹ suppliers or prospective bidders who require the list in furnishing supplies to the Military Departments. Reproduction or use of the list in whole or in part for other purposes is prohibited, and violation will be cause for removal from this list.

QPL-91-18
1 FEBRUARY 1953
Superseding
QPL-91-17
1 December 1952
File up 3/12/53

MILITARY QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION
JAN-C-91
CAPACITORS, PAPER-DIELECTRIC, FIXED (NON-METALLIC CASES)

All products listed herein have been qualified under the requirements for the product as specified in the latest issue of the applicable specification. Revisions of this list will be issued as necessary. The listing of a product does not release the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
CH20 All char., cap. values and tols.		ANEMA-11032-C 1 Oct 52	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CH20 All char., cap. values and tols.		ANEMA-11153-A 25 July 52	Micamold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CH22 All char., cap. values and tols.		ANEMA-11164-B 24 Oct 52	Micamold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CH30 In all char., all cap. values and tols.		ANEMA-11035-A 23 Dec 52	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CH35 All char., cap. values, volts, and tols.		ANEMA-362-L 1 Aug 52	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CH35 In all cap. values and tols. for char. A and B.		ANEMA-625-D 29 Feb 52	Micamold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CH35 Char. A and B, cap. values from 4000 to 30,000 wuf, 600 and 300 volts and all tols.	Type 4040	ANEMA-656-A 30 Apr 48	Gangano Electric Co. Marion, Illinois Plant: Same address
CH35 Char. A, cap. values 3000 and 4000 wuf, all tols; char. B, all cap. values, all tols.		ANEMA-661-A 23 Apr 48	Sprague Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CH35 Char. A, B, P and R, all cap. values, volts, and tols.		ANEMA-172-R 20 Oct 48	Tope Deutschmann Corp. 921 Providence Highway Norwood, Mass. Plant: Same address

OH
17 MAR 1953

QPL-91-18
1 February 1953

Government Designation	Manufacturer's Description	Test or Qualification Reference	Manufacturer's Name and Address
CM41 All cap. values and tols. in chas. A, P, S, R, and N.		ASNSA-11177 10 Oct 52	Higamold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CM41 In chas. S, R and N, all cap. values, volts, and tols.		ASNSA-11093-B 28 Dec 51	Toke Deutschmann Corp. 921 Providence Highway Roxwood, Mass. Plant: Same address
CM42 All chas., cap val- ues and tols.		ASNSA-11178 30 Oct 52	Higamold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CM42 Chas. A, P, S, R; all cap. values, volts, and tols.		AFNSA-7601 4 Aug 48	Sprague Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CM43 In all chas, cap. values, and tols.		ASNSA-11090-A 13 Mar 52	Higamold Radio Corp. 1087-1095 Flushing Avenue Brooklyn 37, New York Plant: Same address
CM43 Chas. A, P, S, R; all cap. values, volts, and tols.		AFNSA-7602 4 Aug 48	Sprague Electric Co. 189 Beaver Street North Adams, Mass. Plant: Same address
CM43 In chas. A, P, S and R, all cap. values and tols.		ASNSA-11126 8 Feb 52	Toke Deutschmann Corp. 921 Providence Highway Roxwood, Mass. Plant: Same address

NOTICE: This list may be made available to suppliers or prospective bidders who require the list in furnishing supplies to the Military Department. Reproduction or use of the list in whole or in part for other purposes is prohibited, and violation will be cause for removal from this list.

QM-71-13
1 April 1951
Superseding
QM-71-12
1 March 1950

MILITARY QUALIFIED PRODUCTS LIST
OF
PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

JAN-C-71

CAPACITORS, PAPER-DIELECTRIC, FILMS (NON-METALLIC CASES)

file
4/28/52
24

All products listed herein have been qualified under the requirements for the product as specified in the latest issue of the applicable specification. Revisions of this list will be issued as necessary. The listing of a product does not relieve the manufacturer from compliance with the specification requirements.

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address
CM20 In charts A, F, H, I and N, all cap. values and tolerance.		ASME-11051-4 12 Dec 51	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM30 In charts A, H and N, all cap. values and tolerance.		ASME-11035 17 Feb 50	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM5 In charts A, H, I and N; all cap. values, voltage, and tolerance.		ASME-342-4 12 Dec 51	Cornell-Dubilier Electric Corp. 1605 Rodney French Blvd. New Bedford, Mass. Plant: Same address
CM5 In all cap. values and tolerance for charts A and N.		ASME-615-3 25 Feb 52	Mitsubishi Radio Corp. 1027 Flushing Blvd. Brooklyn 37, New York Plant: Same address
CM5 Char. A and N, cap. values from 6000 to 20,000 mfd, 600 and 300 volts and all tolerance.	Type 6020	ASME-664-4 30 Apr 48	Sanyo Electric Co. Morris, Illinois Plant: Same address
CM5 Char. A, cap. values 3000 and 6000 mfd, all tolerance char. N, all cap. values, all tolerance.		ASME-661-4 23 Apr 48	Syracuse Electric Co. 187 Beaver Street North Adams, Mass. Plant: Same address
CM5 Char. A, H, F and N, all cap. values, voltage, and tolerance.		ASME-1174-3 20 Oct 48	Yoko Dentschman Corp. 221 Providence Highway Norwood, Mass. Plant: Same address
CM1 In charts H, I and N, all cap. values, voltage, and tolerance.		ASME-11051-3 28 Dec 51	Yoko Dentschman Corp. 221 Providence Highway Norwood, Mass. Plant: Same address
CM1 Char. A, F, H, I, all cap. values, voltage, and tolerance.		ASME-1061 4 Aug 48	Syracuse Electric Co. 187 Beaver Street North Adams, Mass. Plant: Same address
CM1 In all charts, cap. values, and tolerance.		ASME-11050-4 13 Mar 52	Mitsubishi Radio Corp. 1027 Flushing Blvd. Brooklyn 37, New York Plant: Same address

1 of 2
QM-71-13

80 APR 1952

QPL-91-13
1 April 1953

Government Designation	Manufacturer's Designation	Test or Qualification Reference	Manufacturer's Name and Address or (Reference number)
QML Chert. A, F, B, S; all exp. values, values, and tests.		ALMMA-660 4 Aug 51	Sprague Electric Co. 117 Beaver Street North Adams, Mass. Plant: Same address
QML In chert. A, F, B and S, all exp. values and tests.		ALMMA-1116 6 Feb 51	Tube Electronics Corp. 971 Providence Highway Marwood, Mass. Plant: Same address