NAVSEA STANDARD ITEM

FY-28

 ITEM NO:
 009-012

 DATE:
 01 OCT 2025

 CATEGORY:
 II

1. SCOPE:

1.1 Title: Weld, Fabricate, and Inspect; accomplish

2. REFERENCES:

- 2.1 MIL-STD-1689, Fabrication, Welding, and Inspection of Ships Structure
- 2.2 American Bureau of Shipping (ABS) Rules for Building and Classing Steel Vessels
- 2.3 0900-LP-060-4010, Fabrication, Welding, and Inspection of Metal Boat and Craft Hulls
- 2.4 S9074-AQ-GIB-010/248, Requirements for Welding and Brazing Procedure and Performance Qualification
- 2.5 0900-LP-001-7000, Fabrication and Inspection of Brazed Piping Systems
- 2.6 S9074-AR-GIB-010/278, Requirements for Fabrication Welding and Inspection, and Casting Inspection and Repair for Machinery, Piping, and Pressure Vessels
- 2.7 MIL-STD-22, Welded Joint Design
- 2.8 MIL-STD-2035, Nondestructive Testing Acceptance Criteria
- 2.9 T9074-AS-GIB-010/271, Requirements for Nondestructive Testing Methods
- 2.10 DOD-STD-2185, Requirements for Repair and Straightening of Bronze Naval Ship Propellers
- 2.11 S9221-C1-GTP-010/020, Main Propulsion Boilers; Repair and Overhaul
- 2.12 S9AA0-AB-GOS-010, General Specifications for Overhaul of Surface Ships (GSO)
- 2.13 MIL-STD-2191, Repair, Welding, Weld Cladding, Straightening, and Cold Rolling of Main Propulsion Shafting
- 2.14 S9CG0-BP-SRM-010/CG-47CL, Inspection, Testing, Fabrication, and Welding for Aluminum Superstructures During Repair, Alteration, and Modernization, for CG-47 Class Ships
- 2.15 TO300-AU-SPN-010, Fabrication, Welding and Inspection of Small Boats and Craft, Aluminum Hulls
- 2.16 S9086-RK-STM-010/CH-505, Piping Systems

- 2.17 S9LCS-BF-SRM-010/LCS-2, Inspection, Testing, Fabrication, and Welding for Structural Repair, Alteration, and Modernization, for LCS-2 Variant Ships
- 2.18 S9LCS-BG-SRM-010/LCS-1 CL, Inspection, Testing, Fabrication, and Welding for Structural Repair, Alteration, and Modernization, for LCS-1 Variant Ships

3. REQUIREMENTS:

- 3.1 Utilize specific requirements of 2.1 through 2.11 and 2.15 listed in Tables One, 2, 3, and 4 of this item for determining the welder and brazer qualifications, electrodes, weld design, welding requirements, brazing requirements, welding procedures, brazing procedures, welding parameters and controls, inspection standards, and acceptance criteria.
- 3.1.1 Maintain a Welding Workmanship Program and a Welding Surveillance Inspection Program if conducting structural and fabrication work in accordance with 2.1.
- 3.1.2 Maintain a Welding Training Program (including personnel training in Workmanship and Visual Acceptance Criteria) in accordance with 2.4.
 - 3.1.3 Maintain a Brazing Process Inspection in accordance with 2.5.
- 3.1.4 Welding Procedure Specification (WPS) will be available at the work site during the performance of work.
- 3.2 Weld bell-end fittings in accordance with Section 505c8 of 2.12. Nondestructive testing inspection must comply with Class P-2 piping systems as defined by 2.6.
- 3.3 Ground welding machines, for purposes of providing a return path for welding current, using a grounding bar or lead which must be connected directly from the machine ground return connection to the ship's hull, sized on the basis of 1,000,000 Circular Mils per 1,000 amps per 100 feet, but in no event using less than a Number One cable (85,037 Circular Mils).
- 3.3.1 Welding machines used for welding on machinery, pressure vessels, or piping, rotating ordnance, electronic, or fire control equipment must have the ground return connection in the immediate vicinity of the work to ensure that current does not flow through bearings, pipe hangers, or other areas where arcing or high resistance paths exist. For ships constructed of non-magnetic materials, the ground return cables must be connected directly to the component being welded as close to the weld zone as feasible.
- 3.3.2 Shipboard power distribution system must not be used as the power source for welding equipment unless approved by the SUPERVISOR. External power source must be used.
- 3.4 Process Control Procedure (PCP) for the specific welding, brazing, and inspection operations in 3.4.1 through 3.4.9 must be in accordance with NAVSEA Standard Items (See Note 4.1) and the following:
- 3.4.1 Class A-F, A-1, A-2, A-3, A-LT, P-1, P-LT, M-1, and T-1 welding, as defined by 2.6. These procedures must include, as a minimum, the information required by Paragraph 4.1.3 of 2.6 and supporting data such as a sketch of the weld repair areas and associated ship components. Joint numbers must not be duplicated on ship during the availability.
- 3.4.2 Class P-3a special category silver brazing, as defined by 2.5. The procedure must include, as a minimum, the information required by Sections 4 of 2.5.

- 3.4.2.1 All brazing of steam piping must conform to 2.5, Class P-3a special category, including ultrasonic inspection, for all pipe sizes .840 inch outer diameter or grater including any (existing) copper to (new) copper-nickel transition joints. Brazed joints must not be used in steam pipe sizes less than .840 inch outer diameter.
- 3.4.2.2 In steam systems, where brazed piping and fittings are to be reused, or piping has to be sized to achieve proper fit-up, the option for a 5X visual inspection for cracks listed in Sections 5.5.3, 5.10.1, and 5.10.2 of 2.5 must not be used; liquid penetrant inspection must be required.
 - 3.4.3 For bronze propellers, using 2.10 for guidance.
 - 3.4.4 For propellers other than bronze, using 2.6 for guidance.
 - 3.4.5 For propulsion shafting and rudder stocks, using 2.13 for guidance.
 - 3.4.6 For titanium-based materials, using 2.6 for guidance.
- 3.4.7 Accomplish aluminum welding and nondestructive testing for superstructure of CG-47 Class ships in accordance with 2.14.
- 3.4.8 Accomplish fabrication, aluminum welding and nondestructive testing of aluminum structures for LCS-2 variant ships in accordance with 2.17.
- 3.4.9 Accomplish fabrication, aluminum welding and nondestructive testing of aluminum structures for LCS-1 variant ships in accordance with 2.18.
- 3.5 The use of a permanent backing strap in accordance with Section 11, Paragraph 11.1 of 2.1 is specifically prohibited for ships unless detailed in the original weld joint design or when authorized by the SUPERVISOR. The use of a permanent backing strap is acceptable for small boats and crafts, in accordance with 2.3 and 2.15.
- (V)(G) "FIT-UP INSPECTION"
- 3.6. Joint fit-up of Class P-1 piping butt-welded joints requiring radiographic inspection.
 - 3.6.1 Verify Joint Fit-Up Prior to Welding (V)(G)
- (I) or (I)(G) "NONDESTRUCTIVE TESTING"
 - 3.7 Accomplish nondestructive testing in accordance with the following:
- 3.7.1 Manufacture, installation, and repair (welding, brazing, machining, or lapping) of Level I fittings or components:
 - 3.7.1.1 Nondestructive Testing Visual Inspection (I)
- 3.7.1.2 Nondestructive Testing Magnetic Particle, Liquid Penetrant and Ultrasonic Testing (Final Only) (I)(G)
 - 3.7.1.3 Nondestructive Testing Radiographic (I)

Welding/brazing of Class P-1, P-LT, P-3a piping systems or Class A-F, A-1, A-2, A-3, A-LT, M-1, T-1 welding, and Class P-2. 3.7.2.1 Nondestructive Testing Visual Inspection - (I) 3.7.2.2 Nondestructive Testing Magnetic Particle, Liquid Penetrant and Ultrasonic Testing (Final Only) - (I)(G) Nondestructive Testing Radiographic - (I) 3.7.2.3 Nondestructive Testing Visual Inspection (I)(G) materials S-51, S-52, 3.6.3.4 S-53. 3.7.3 Welding on ship/craft listed in Attachment A hull or structure when required by the fabrication document: Nondestructive Testing Visual Inspection - (I) 3.67.3.1 3.7.3.2 Nondestructive Testing Magnetic Particle, Liquid Penetrant and Ultrasonic Testing (Final Only) - (I)(G) Nondestructive Testing Radiographic - (I) 3.7.3.3 3.7.4 Weight handling equipment manufacture and repair: Nondestructive Testing Visual Inspection - (I) 3.7.4.1 3.7.4.2 Nondestructive Testing Magnetic Particle, Liquid Penetrant - (I)(G) 3.7.4.3 Ultrasonic Testing (Final Only) - (I)(G) 3.7.4.4 Nondestructive Testing Radiographic - (I) 3.7.5 Corrective maintenance within the certified boundaries of cranes (as defined in NSTM 589): Nondestructive Testing Visual Inspection - (I) 3.7.5.1 3.7.5.2 Nondestructive Testing Magnetic Particle, Liquid Penetrant - (I)(G) 3.7.5.3 Ultrasonic Testing (Final Only) - (I)(G) 3.7.5.4 Nondestructive Testing Radiographic - (I) 3.7.6 Maintenance on aircraft launch and recovery equipment: 3.7.6.1 Nondestructive Testing Visual Inspection - (I) 3.7.6.2 Nondestructive Testing Magnetic Particle, Liquid Penetrant and Ultrasonic Testing (Final Only) - (I)(G) 3.7.6.3 Nondestructive Testing Radiographic - (I)

- 3.7.7 Invocation of Operational Pressure Test Option for Piping Systems in accordance with 2.16:
- 3.7.7.1 Nondestructive Magnetic Particle and Liquid Penetrant testing accomplished to satisfy Operational Pressure Test Option requirements in accordance with 11.1.2.6 of 2.16 and not already required by 3.7.3.2. (I)

(I)(G) "EVALUATION OF RT FILMS"

- 3.8 Accomplish RT film interpretation.
- 3.8.1 Provide the cognizant Government representative designated by the SUPERVISOR the evaluated radiographs and records within 2 days of the (G) point.
- 3.9 Provide and maintain a Welding Consumable Control System in accordance with 2.1, 2.2, 2.3, 2.5, 2.6, 2.10, 2.11, 2.13, 2.14, and 2.15, which covers the control and issuance of filler materials. The system must be described in a written procedure that must be submitted to the SUPERVISOR for review and *acceptance* prior to the initiation of production work. This procedure only requires a one-time submittal/*acceptance* unless the NAVSEA Standard Items change and/or references change or are updated. The Welding Consumable Control System must be subject to periodic conformity audits by the SUPERVISOR throughout the contract period. (*See Note 4.4*)
 - 3.10 Utilize Attachment A to define combatant and non-combatant vessels and applicable table.
- 3.11 Where requirements in the repair and testing instructions for propulsion boilers conflict, 2.11 must take precedence.

4. NOTES:

- 4.1 If a Process Control Procedure (PCP) for all specific welding, brazing, and inspection operations in 3.4.1 through 3.4.9 is required; the use of Category II NAVSEA Standard Item 009-009 "Process Control Procedure (PCP); provide and accomplish" of NAVSEA Standard Items will be specified in the Work Item.
- 4.2 For Navy boats and craft all paragraphs apply except the following: 3.4.2.1, 3.4.2.2, 3.4.3, 3.4.4, 3.4.5, 3.4.6, and 3.7.7.
- 4.3 Welding procedure qualification reports (WPQR) previously approved by a NAVSEA Authorized Representative (AR) need not be reviewed and approved by another activity's NAVSEA AR when no changes requiring requalification per reference 2.4 have been made.
- 4.4 Welding Consumable Control Programs previously accepted by a NAVSEA activity do not require additional technical review.

5 of 30 ITEM NO: <u>009-012</u>

FY-28

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | A | В | С | D | | E |
|------------------|---|--|--|--------------------------------------|-------------------------------|--------------------------|--------------------------------------|
| L I N E | SITUATION EVOLUTION | CLASS P-1, P-2 AND P-LT PIPING | CLASS P-3a SPECIAL CATEGORY, OTHER CLASS P- 3a, AND P-3b PIPING | HARD FACING VALVE PARTS | CLASS A PRESSURE VESSEL | ** PROPULSION BOILERS | *PROPELLE RS (BRONZE) |
| 1 | WELDER AND BRAZER QUALIFICATI ON | S9074-AQ-GIB- 010/248, PARAGRAPH 5 | 0900-LP-001-7000, SECTION 4 | S9074-AQ-GIB- PARAGRAPH 5 | | S9221-C1-GTP- 010/020 | |
| 2 | WELDING PROCEDURE | S9074-AQ-GIB- 010/248, PARAGRAPH 4 | NOT APPLICABLE | S9074-AQ-GIB-010/248, PARAGRAPH 4 | | S9221-C1-GTP- 010/020 | DOD-STD- 2185, PARAGRAP H 4 |
| 3 | BRAZING PROCEDURE | NOT APPLICABLE | 0900-LP-001-7000, SECTION 4 | NOT APPLICAT | BLE | | |
| 4 | WELDING REQUIREMEN TS | S9074-AR-GIB- 010/278, PARAGRAPH 6 | NOT APPLICABLE | S9074-AR-GIB-0 PARAGRAPH 6 | | | MIL-STD- 2185, PARAGRAP H 5 |

^{* -} PARAGRAPH 3.4.4 APPLIES

^{** -} PARAGRAPH 3.11 APPLIES

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | A | В | C | D | | Е |
|------------------|------------------------|--|--|--------------------------------------|---|--------------------------|--------------------------------------|
| L I N E | SITUATION EVOLUTION | CLASS P-1, P-2 AND P-LT PIPING | CLASS P-3a SPECIAL CATEGORY, OTHER CLASS P- 3a, AND P-3b PIPING | HARD FACING VALVE PARTS | CLASS A PRESSURE VESSEL | ** PROPULSION BOILERS | *PROPELLE RS (BRONZE) |
| 5 | FILLER MATERIAL | S9074-AR-GIB- 010/278, PARAGRAPH 5 | 0900-LP-001-7000, SECTION 5 | S9074-AR-GIB-010/278, PARAGRAPH 5 | | S9221-C1-GTP- 010/020 | DOD-STD- 2185, PARAGRAP H 5 |
| 6 | JOINT DESIGN | S9074-AR-GIB- 010/278, PARAGRAPH 9 MIL-STD-22 | 0900-LP-001-7000, SECTION 5 | NOT APPLICABLE | S9074-AR- GIB-010/278, PARAGRAP H 9 MIL- STD-22 | S9221-C1-GTP- 010/020 | |

^{* -} PARAGRAPH 3.4.4 APPLIES

^{** -} PARAGRAPH 3.11 APPLIES

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | A | В | С | D | | Е |
|------------------|-------------------------------------|--|---|--|--|--------------------------|--|
| L I N E | SITUATION EVOLUTION | CLASS P-1, P-2 AND P-LT PIPING | CLASS P-3a SPECIAL CATEGORY, OTHER CLASS P-3a, AND P-3b PIPING | HARD FACING VALVE PARTS | CLASS A PRESSURE VESSEL | ** PROPULSION BOILERS | *PROPELLER S (BRONZE) |
| 7 | HEAT TREATMENT | S9074-AR-GIB- 010/278, PARAGRAPH 6 | 0900-LP-001- 7000, SECTION 5 | S9074-AR- GIB-010/278, PARAGRAPH S 6 AND 11.6 | S9074-AR- GIB-010/278, PARAGRAP H 6 | S9221-C1-GTP- 010/020 | S9074-AR- GIB-010/278, PARAGRAPH 6 DOD-STD- 2185, PARAGRAPH 5 |
| 8 | WORKMANS HIP REQUIREMEN TS | S9074-AR-GIB- 010/278, PARAGRAPH 7 | 0900-LP-001- 7000, SECTION 5 | S9074-AR- GIB-010/278, PARAGRAPH S 7 AND 11.6 | S9074-AR- GIB-010/278, PARAGRAP H 7 | S9221-C1-GTP- 010/020 | S9074-AR- GIB-010/278, PARAGRAPH 7 |

^{* -} PARAGRAPH 3.4.4 APPLIES

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | A | В | С | D | | Е |
|------------------|-----------------------------------|---|---|---|---|--------------------------|-------------------------------------|
| L I N E | SITUATION EVOLUTION | CLASS P-1, P-2 AND P-LT PIPING | CLASS P-3a SPECIAL CATEGORY, OTHER CLASS P-3a, AND P-3b PIPING | HARD FACING VALVE PARTS | CLASS A PRESSURE VESSEL | ** PROPULSION BOILERS | *PROPELLER S (BRONZE) |
| 9 | VISUAL INSPECT JOINT FIT-UP | S9074-AR-GIB- 010/278, PARAGRAPH 9 MIL-STD-22 | 0900-LP-001- 7000, SECTION 7 | NOT APPLICABLE | S9074-AR- GIB-010/278, PARAGRAP H 9 MIL- STD-22 | S9221-C1-GTP- 010/020 | DOD-STD- 2185, PARAGRAPH 5 |
| 10 | VISUAL INSPECTION | S9074-AR-GIB- 010/278, PARAGRAPH 10 MIL-STD-2035, PARAGRAPH 4 | 0900-LP-001- 7000, SECTION 7 AND 8 | S9074-AR- GIB-010/278, PARAGRAPH 11.6.3 MIL-STD- 2035, PARAGRAPH 4 | S9074-AR-GIB-010/278, PARAGRAPH 10 MIL-STD-2035, PARAGRAPH 4 | | MIL-STD- 2035, PARAGRAPH 4 |

^{* -} PARAGRAPH 3.4.4 APPLIES

^{** -} PARAGRAPH 3.11 APPLIES

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | A | В | С | D | | Е |
|------------------|--|---|---|----------------------------------|--|---------------------------------------|--------------------------|
| L I N E | SITUATION EVOLUTION | CLASS P-1, P-2 AND P-LT PIPING | CLASS P-3a SPECIAL CATEGORY, OTHER CLASS P-3a, AND P-3b PIPING | HARD FACING VALVE PARTS | CLASS A PRESSURE VESSEL | ** PROPULSION BOILERS | *PROPELLER S (BRONZE) |
| 11 | RADIOGRAPH IC INSPECTION (RT) | S9074-AR-GIB- 010/278 PARAGRAPH 10 T9074-AS-GIB- 010/271, PARAGRAPH 3 MIL-STD-2035, PARAGRAPH 5 (NORMALLY ONLY P-1 AND P-LT) | NOT APPLICABLE | | S9074-AR-GII PARAGRAPH T9074-AS-GIE 010/271,PARA MIL-STD-203 | . 10 3 - | NOT APPLICABLE |
| | RAGRAPH 3.4.4 A RAGRAPH <i>3.11 A</i> | | 10 of 3 | 0 | IT | EM NO: <u>009-012</u> FY-28 | |

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | A | В | С | D | | Е |
|------------------|----------------------------------|-----------------------------------|---|----------------------------------|-------------------------------|--------------------------|---|
| L I N E | SITUATION EVOLUTION | CLASS P-1, P-2 AND P-LT PIPING | CLASS P-3a SPECIAL CATEGORY, OTHER CLASS P-3a, AND P-3b PIPING | HARD FACING VALVE PARTS | CLASS A PRESSURE VESSEL | ** PROPULSION BOILERS | *PROPELLER S (BRONZE) |
| 12 | ULTRASONIC INSPECTION (UT) | NOT APPLICABLE | 0900-LP-001- 7000, SECTIONS 6,7,8 AND 9 FOR CLASS P-3a SPECIAL CATEGORY PIPING ONLY | NOT APPLICABLE | | | S9245-AR- TSM-010/Prop Paragraph 5.6.5.2 |

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | A | В | С | D | Е |
|------------------|---|--|--|---|--|--|
| L I N E | SITUATION EVOLUTION | CLASS P-1, P-2 AND P-LT PIPING | CLASS P-3a SPECIAL CATEGORY, OTHER CLASS P-3a, AND P-3b PIPING | HARD FACING VALVE PARTS | CLASS A PRESSURE VESSEL ** PROPULSION BOILERS | *PROPELLER S (BRONZE) |
| 13 | LIQUID PENETRANT INSPECTION (PT) | S9074-AR-GIB- 010/278, PARAGRAPH 10 T9074-AS-GIB- 010/271, PARAGRAPH 5 MIL-STD-2035, PARAGRAPH 7 (NORMALLY ONLY P-1 AND P-LT) | 0900-LP-001- 7000, SECTION 7 AND 8 FOR CLASS P-3a SPECIAL CATEGORY SEE 3.4.2.2 | S9074-AR- GIB-010/278, PARAGRAPH 11.6.3 MIL-STD- 2035, PARAGRAPH 7 | S9074-AR-GIB-010/278, PARAGRAPH 10 T9074-AS-GIB-010/271, PARAGRAPH 5 MIL-STD-2035, PARAGRAPH 7 | MIL-STD- 2035, PARAGRAPH 7 T9074-AS- GIB-010/271, PARAGRAPH 5 |

^{* -} PARAGRAPH 3.4.4 APPLIES

^{** -} PARAGRAPH 3.11 APPLIES

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | A | В | С | D | | Е |
|------------------|--|--|---|----------------------------------|--|---------------------------|--------------------------|
| L I N E | SITUATION EVOLUTION | CLASS P-1, P-2 AND P-LT PIPING | CLASS P-3a SPECIAL CATEGORY, OTHER CLASS P-3a, AND P-3b PIPING | HARD FACING VALVE PARTS | CLASS A PRESSURE VESSEL | ** PROPULSION BOILERS | *PROPELLER S (BRONZE) |
| 14 | MAGNETIC PARTICLE INSPECTION (MT) | S9074-AR-GIB- 010/278, PARAGRAPH 10 T9074-AS-GIB- 010/271, PARAGRAPH 4 MIL-STD-2035, PARAGRAPH 6 (NORMALLY ONLY P-1 AND P-LT) | NOT APPLICABLI | | S9074-AR-GII PARAGRAPH T9074-AS-GII PARAGRAPH MIL-STD-203 PARAGRAPH | I 10 3-010/271, I 4 | NOT APPLICABLE |

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | F | G | Н | I | J | | | |
|------------------|--|---|---|---|--------------------------|--|--|--|--|
| L I N E | SITUATION EVOLUTION | MACHINERY CLASS M | TURBINE PARTS | CASTINGS | FORCED DRAFT BLOWERS | REDUCTION AND STEAM TURBINE DRIVEN AUXILIARY GEARS | | | |
| 1 | WELDER AND BRAZER QUALIFICATIONS | S9074-AQ-GIB-010/248, | PARAGRAPH 5 | | | | | | |
| 2 | WELDING PROCEDURE | S9074-AQ-GIB-010/248, | PARAGRAPH 4 | | | | | | |
| 3 | BRAZING PROCEDURE | NOT APPLICABLE | OT APPLICABLE | | | | | | |
| 4 | WELDING REQUIREMENTS | S9074-AR-GIB-010/278, | S9074-AR-GIB-010/278, PARAGRAPH 6 | | | | | | |
| 5 | FILLER MATERIAL | S9074-AR-GIB-010/278, | PARAGRAPH 5 | | | | | | |
| 6 | JOINT DESIGN | S9074-AR-GIB-010/278, | PARAGRAPH 9, ANI | O MIL-STD-22 | | | | | |
| 7 | HEAT TREATMENT | S9074-AR-GIB-010/278, | PARAGRAPHS 6 AN | D 8 | | | | | |
| 8 | WORKMANSHIP REQUIREMENTS | S9074-AR-GIB-010/278, | PARAGRAPH 7 | | | | | | |
| 9 | VISUAL INSPECT JOINT FIT-UP | S9074-AR-GIB-010/278, | PARAGRAPH 10, AN | ID MIL-STD-22 | | | | | |
| 10 | VISUAL INSPECTION | S9074-AR-GIB-010/278, PARAGRAPH 10 MIL-STD-2035, PARAGRAPH 4 | S9074-AR-GIB- 010/278, PARAGRAPH 14 | S9074-AR-GIB- 010/278, PARAGRAPH 13 MIL-STD-2035 PARAGRAPH | 010/278, PARAGRAPH 16 | S9074-AR-GIB- 010/278, PARAGRAPH 15 | | | |

^{* -} PARAGRAPH 3.4.4 APPLIES

¹⁴ of 30

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | F | G | Н | I | J |
|------------------|---------------------------------|---|---------------|--|-------------------------|--|
| L I N E | SITUATION EVOLUTION | MACHINERY CLASS M | TURBINE PARTS | | FORCED DRAFT BLOWERS | REDUCTION AND STEAM TURBINE DRIVEN AUXILIARY GEARS |
| 11 | RADIOGRAPHIC INSPECTION (RT) | S9074-AR-GIB-010/278, PARAGRAPH 10 T9074-AS-GIB-010/271, PARAGRAPH 3 MIL-STD-2035, PARAGRAPH 5 | 010/278, | S9074-AR-GIB- 010/278, PARAGRAPH 13 | 010/278, | NOT APPLICABLE |

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | F | G | Н | I | J |
|------------------|--|---|---|---|---|---|
| L I N E | SITUATION EVOLUTION | MACHINERY CLASS M | TURBINE PARTS | CASTINGS | FORCED DRAFT BLOWERS | REDUCTION AND STEAM TURBINE DRIVEN AUXILIARY GEARS |
| 12 | ULTRASONIC INSPECTION (UT) | S9074-AR-GIB- 010/278, PARAGRAPH 10 T9074-AS-GIB- 010/271, PARAGRAPH 6 MIL-STD-2035, PARAGRAPH 8 | S9074-AR-GIB- 010/278, PARAGRAPH 14 | S9074-AR-GIB- 010/278, PARAGRAPH 13 | S9074-AR-GIB- 010/278, PARAGRAPH 16 | S9074-AR-GIB- 010/278, PARAGRAPH 15 |
| 13 | LIQUID PENETRANT INSPECTION (PT) | S9074-AR-GIB- 010/278, PARAGRAPH 10 T9074-AS-GIB- 010/271, PARAGRAPH 5 MIL-STD-2035, PARAGRAPH 7 | S9074-AR-GIB- 010/278, PARAGRAPH 14 T9074-AS-GIB- 010/271, PARAGRAPH 5 MIL-STD-2035, PARAGRAPH 7 | S9074-AR-GIB- 010/278, PARAGRAPH 13 T9074-AS-GIB- 010/271, PARAGRAPH 5 MIL-STD-2035, PARAGRAPH 7 | S9074-AR-GIB- 010/278, PARAGRAPH 16 T9074-AS-GIB- 010/271, PARAGRAPH 5 MIL-STD-2035, PARAGRAPH 7 | S9074-AR-GIB- 010/278, PARAGRAPH 15 T9074-AS-GIB- 010/271, PARAGRAPH 5 MIL-STD-2035, PARAGRAPH 7 |

^{* -} PARAGRAPH 3.4.4 APPLIES

^{** -} PARAGRAPH 3.11 APPLIES

TABLE 1 WELDING, FABRICATION, AND INSPECTION OF PIPING, PRESSURE VESSELS, PROPELLERS, AND MACHINERY

| | COLUMN | F | G | Н | Ι | J |
|------------------|-----------------------------------|---|---|---|---|---|
| L I N E | SITUATION EVOLUTION | MACHINERY CLASS M | TURBINE PARTS | CASTINGS | FORCED DRAFT BLOWERS | REDUCTION AND STEAM TURBINE DRIVEN AUXILIARY GEARS |
| 14 | MAGNETIC PARTICLE INSPECTION (MT) | S9074-AR-GIB- 010/278, PARAGRAPH 10 T9074-AS-GIB- 010/271, PARAGRAPH 4 MIL-STD-2035, PARAGRAPH 6 | S9074-AR-GIB- 010/278, PARAGRAPH 14 T9074-AS-GIB- 010/271, PARAGRAPH 4 MIL-STD-2035, PARAGRAPH 6 | S9074-AR-GIB- 010/278, PARAGRAPH 13 T9074-AS-GIB- 010/271, PARAGRAPH 4 MIL-STD-2035, PARAGRAPH 6 | S9074-AR-GIB- 010/278, PARAGRAPH 16 T9074-AS-GIB- 010/271, PARAGRAPH 4 MIL-STD-2035, PARAGRAPH 6 | S9074-AR-GIB- 010/278, PARAGRAPH 15 T9074-AS-GIB- 010/271, PARAGRAPH 4 MIL-STD-2035, PARAGRAPH 6 |

^{* -} PARAGRAPH 3.4.4 APPLIES

TABLE 2 WELDING, FABRICATION, AND INSPECTION OF SURFACE SHIP HULLS (COMBATANT)

| | COLUMN | A | B | С | D | Е | F | |
|------------------|-----------------------------|---|---|--|--|---|---|--|
| L I N E | MATERIAL EVOLUTION | CARBON STEEL (MS), ORDINARY STRENGTH STEEL(OS), AND HIGHER STRENGTH STEEL (HSS) | * (HY-80/100, HSLA-80 AND STS) | ALUMINUM ALLOY | CHROMIUM NICKEL STEEL (STAINLESS) | COPPER AND/OR NICKEL BASE ALLOYS | SILICONE BRONZE ALUMINU M BRONZE | |
| 1 | WELDER QUALIFICATION | S9074-AQ-GIB-03 | 9074-AQ-GIB-010/248, PARAGRAPH 5 | | | | | |
| 2 | WELDING PROCEDURE | S9074-AQ-GIB-02 | 10/248, PARAGRAPH | 4 | | | | |
| 3 | ELECTRODE | MIL-STD-1689, PARAGRAPH 10 TABLE X | MIL-STD-1689, PARAGRAPH 10 TABLE XI | MIL-STD- 1689, PARAGRAPH 10 TABLE XVI | MI-STD-1689, PARAGRAPH 10 TABLES XII AND XIII | MIL-STD- 1689, PARAGRAPH 10 TABLES XIV AND XV | S9074-AR- GIB- 010/278, TABLE II | |
| 4 | JOINT DESIGN | MIL-STD-22 MIL-STD-1689, P | ARAGRAPH 11 | | | | | |
| 5 | WELDING REQUIREMENTS | MIL-STD-1689, P | ARAGRAPH 13 | | | | | |
| 6 | WORKMANSHIP REQUIREMENTS | MIL-STD-1689, P | ARAGRAPHS 12 AN | D 14 | | | | |
| 7 | VISUAL | MIL-STD-2035, P | ARAGRAPHS 6, 7, A ARAGRAPH 4 0/271, PARAGRAPH | | | | | |

18 of 30

ITEM NO: <u>009-012</u> FY-28

TABLE 2 WELDING, FABRICATION, AND INSPECTION OF SURFACE SHIP HULLS (COMBATANT)

| | COLUMN | A | В | С | D | Е | F |
|------------------|---|---|---|-------------------|--|---|---|
| L I N E | MATERIAL EVOLUTION | CARBON STEEL (MS), ORDINARY STRENGTH STEEL(OS), AND HIGHER STRENGTH STEEL (HSS) | * (HY-80/100, HSLA-80 AND STS) | ALUMINUM ALLOY | CHROMIUM NICKEL STEEL (STAINLESS) | COPPER AND/OR NICKEL BASE ALLOYS | SILICONE BRONZE ALUMINU M BRONZE |
| 8 | RADIOGRAPHIC | | | | | | |
| | INSPECTION (RT) | MIL-STD-1689, PARAGRAPHS 6, 7, AND 8 MIL-STD-2035, PARAGRAPH 5 | | | | | |
| | | , | | 3 | | | |
| 9 | ULTRASONIC INSPECTION (UT) | T9074-AS-GIB-010/271, PARAGRAPH 3 MIL-STD-1689, PARAGRAPHS 6, 7, AND 8 MIL-STD-2035, PARAGRAPH 8 T9074-AS-GIB-010/271, PARAGRAPH 6 | | | | | |
| 10 | LIQUID PENETRANT INSPECTION (PT) | MIL-STD-1689, PARAGRAPHS 6, 7, AND 8 MIL-STD-2035, PARAGRAPH 7 T9074-AS-GIB-010/271, PARAGRAPH 5 | | | | | |
| 11 | MAGNETIC PARTICLE INSPECTION (MT) | MIL-STD-1689, P MIL-STD-2035, P T9074-AS-GIB-01 PARAGRAPH 4 | PARAGRAPH 6 | NOT APPLIC | CABLE | | |

TABLE 3 WELDING, FABRICATION, AND INSPECTION OF SURFACE SHIP HULLS (NON-COMBATANT) * **

| | COLUMN | A | В | C | D | Е | F |
|------------------|---------------------------------|---|---|--------------------|--|--|--|
| L I N E | MATERIAL EVOLUTION | CARBON STEEL (MS), ORDINARY STRENGTH STEEL(OS), AND HIGHER STRENGTH STEEL (HSS) | *** (HY-80/100) | ALUMINU M ALLOY | CHROMIUM NICKEL STEEL (STAINLESS) | COPPER AND/OR NICKEL BASE ALLOYS | SILICONE BRONZE ALUMINUM BRONZE |
| 1 | WELDER QUALIFICATION | ABS RULES, PA | ABS RULES, PART 2, CHAPTER 4, SECTION 1 | | | | |
| 2 | WELDING PROCEDURE | ABS RULES, PA | ABS RULES, PART 2, CHAPTER 4, SECTION 1 | | | | |
| 3 | ELECTRODE | ABS RULES, PA | RT 2, CHAPTER 4, SE | ECTION 1 | | | |
| 4 | JOINT DESIGN | ABS RULES, PA | ABS RULES, PART 2, CHAPTER 4, SECTION 1 | | | | |
| 5 | WELDING REQUIREMENTS | ABS RULES, PA | ABS RULES, PART 2, CHAPTER 4, SECTION 1 | | | | |
| 6 | WORKMANSHIP REQUIREMENTS | ABS RULES, PART 2, CHAPTER 4, SECTION 1 | | | | | |
| 7 | VISUAL | ABS RULES, PART 2, CHAPTER 4, SECTION 1 | | | | | |
| 8 | RADIOGRAPHIC INSPECTION (RT) | ABS RULES, PA | ABS RULES, PART 2, CHAPTER 4, SECTION 1 | | | | |

ITEM NO: <u>009-012</u> *FY-28* 20 of 30

TABLE 3
WELDING, FABRICATION, AND INSPECTION OF SURFACE SHIP HULLS (NON-COMBATANT) * **

| | COLUMN | A | В | С | D | Е | F |
|------------------|--|---|---|--------------------|--|--|--|
| L I N E | MATERIAL EVOLUTION | CARBON STEEL (MS), ORDINARY STRENGTH STEEL(OS), AND HIGHER STRENGTH STEEL (HSS) | *** (HY-80/100) | ALUMINU M ALLOY | CHROMIUM NICKEL STEEL (STAINLESS) | COPPER AND/OR NICKEL BASE ALLOYS | SILICONE BRONZE ALUMINUM BRONZE |
| 9 | ULTRASONIC INSPECTION (UT) | ABS RULES, PART 2, CHAPTER 4, SECTION 1 | | | | | |
| 10 | LIQUID PENETRANT INSPECTION (PT) | | ABS RULES, PART 2, CHAPTER 4, SECTION 1 | | | | |
| 11 | MAGNETIC PARTICLE INSPECTION (MT) | · · | ART 2, CHAPTER 4, TION 1 | | NOT APPI | ICABLE | |

^{* -} IDENTIFICATION OF "SURVEYOR" IN ABS RULES SIGNIFIES SUPERVISOR OF SHIPBUILDING (SUPERVISOR) ACTION. THE SUPERVISOR MAY USE MIL-STD-1689 FOR GUIDANCE WHERE ADDITIONAL DIRECTION IS NECESSARY. SUCH GUIDANCE MAY BE USED TO: ESTABLISH NDT REQUIREMENTS, ESTABLISH

21 of 30 ITEM NO: <u>009-012</u>

FY-28

WELDING/NDT PROCEDURE AND PERSONNEL QUALIFICATION REQUIREMENTS, OR TO DEFINE OTHER ATTRIBUTES LISTED IN THE "MATERIAL EVOLUTION" LINE OF TABLE 3.

- ** THE SUPERVISOR MAY ALSO ALLOW THE SHIPBUILDER TO CHOOSE FROM THE FOLLOWING OPTIONS, PROVIDING:
- THE SHIPBUILDER'S UTILIZATION OF THE FOLLOWING OPTIONS MUST RESULT IN NO ADDITIONAL COST TO THE GOVERNMENT.
 - THE SHIPBUILDER MUST UTILIZE THE FABRICATION DOCUMENT SELECTED FOR THE ENTIRE AVAILABILITY AND MUST NOT SWITCH BACK AND FORTH BETWEEN DOCUMENTS.
 - THE SHIPBUILDER MUST NOTIFY THE SUPERVISOR OF WHICH FABRICATION DOCUMENT HAS BEEN SELECTED.

OPTIONS:

- A) MIL-STD-1689 MAY BE UTILIZED BY THE SHIPBUILDER AT THE SHIPBUILDER'S DISCRETION. THE REQUIREMENTS OF TABLE 2 ABOVE WOULD THEN APPLY.
- B) FOR DETERMINATION OF NDT METHOD(S) AND EXTENT OF NDT INSPECTION WHEN REPAIRS ARE TO BE ACCOMPLISHED, THE SHIPBUILDER MAY REQUEST TO UTILIZE THE SAME NDT REQUIREMENTS THAT WERE INVOKED IN CONSTRUCTION OF THE VESSEL. IN SUCH CASES, THE SHIPBUILDER MUST BE RESPONSIBLE TO DETERMINE THE ORIGINAL NDT REQUIREMENTS AND SUBMIT EVIDENCE SUCH AS DRAWINGS OR SPECIFICATIONS WHICH DETAIL THE REQUIREMENTS TO THE SUPERVISOR ALONG WITH A REQUEST FOR APPROVAL.
- C) THE SHIPBUILDER MAY REQUEST TO UTILIZE PRE-ESTABLISHED WELDING AND/OR NDT PROCEDURES AND PERSONNEL QUALIFICATION PROGRAM(S) WHICH HAVE BEEN PREVIOUSLY UTILIZED IN THE PERFORMANCE OF SIMILAR ABS-ACCEPTED WORK. IN SUCH CASES, THE SHIPBUILDER MUST SUBMIT EVIDENCE OF SUCH ABS ACCEPTABILITY TO THE SUPERVISOR ALONG WITH DESCRIPTIVE DETAILS AND SUPPORTING DOCUMENTATION FOR THE PROPOSED PROGRAM(S). SUCH DOCUMENTATION MUST INCLUDE THE WELDING/NDT PROCEDURES AND METHODS OF WELDING/NDT PERSONNEL QUALIFICATION THAT WERE UTILIZED IN FORMER ABS-ACCEPTED WORK. THE SHIPBUILDER MUST ALSO SUBMIT OTHER SUPPORTING EVIDENCE THAT MAY BE REQUESTED BY THE SUPERVISOR TO

ESTABLISH THAT THE PROPOSED PROGRAMS HAVE BEEN PREVIOUSLY UTILIZED FOR SIMILAR ABS-ACCEPTED WORK.

*** - PARAGRAPH 3.8 APPLIES.

ITEM NO: <u>009-012</u> *FY-28* 23 of 30

TABLE 4 WELDING, FABRICATION, AND INSPECTION OF METAL BOAT AND CRAFT HULLS* ****

| | COLUMN | A | В | С | D | Е | F |
|------------------|---------------------------------------|--|---|--|--|---|------------------------------------|
| L I N F | MATERIAL EVOLUTION | CARBON STEEL (MS) | ** (HY-80/100) | ALUMINUM ALLOY | CHROMIUM NICKEL STEEL (STAINLESS) | COPPER AND/OR NICKEL BASE | SILICON E BRONZE ALUMIN |
| 1 | WELDER QUALIFICATION | S9074-AQ-GIB- | 010/248, SECTION 5 | TO300-AU-SPN-010. SECTION 3.3 | S9074-AQ | -GIB-010/248, SEC | CTION 5 |
| 2 | WELDING PROCEDURE QUALIFICATION | S9074-AQ-GIB- | 010/248, SECTION 4 | TO300-AU-SPN-010. SECTION 3.2 | S9074-AQ-GIB-010/248, SECTION 4 | | |
| 3 | ELECTRODE/FILLER MATERIAL | 0900-060-4010, SECTION 10, TABLE 10-1 | 0900-060-4010, SECTION 10, TABLES 10-2 AND 10- 3 | TO300-AU-SPN-010, TABLES I AND II*** | 0900-060-4010, SECTION 10, TABLE 10-4 | 0900-060-4010 SECTION 10, TABLES 10-5 AND 10-6 | S9074-AR-GIB- 010/278, TABLE II |
| 4 | JOINT DESIGN | | STD-22 0, SECTION 11 | TO300-AU-SPN-010, SECTION 8 AND APPENDIX A AND APPENDIX B | MIL-STD-22 0900-060-4010, SECTION 11 | | N 11 |
| 5 | WELDING REQUIREMENT S | 0900-060-401 | 0, SECTION 13 | TO300-AU-SPN-010, SECTION 10 | 0900-060-4010, SECTION 13 | | |
| 6 | WORKMANSHIP REQUIREMENT S | 0900-060-4010, SI | ECTIONS 12 AND 14 | TO300-AU-SPN-010, SECTION 11 | 0900-060-4010, SECTIONS 12 AND 14 | | |
| 7 | VISUAL | | CCTIONS 6, 7, AND 8 10/271, SECTION 8 | TO300-AU-SPN-010, SECTIONS 3.5.2.1, 5.4.1, 6.2, AND 7.2 | 0900-060-4010, SECTIONS 6, 7, AND 8 T9074-AS-GIB-010/271, SECTION 8 | | |
| 8 | RADIOGRAPHIC INSPECTION (RT) | AND SÉCT | CTION 6, TABLE 6-1 IONS 7 AND 8 10/271, SECTION 3 | TO300-AU-SPN-010, SECTIONS 3.5.2.4, 5.4.3, 6.4, AND 7.4 | 0900-060-4010, SECTION 6, TABLE 6-1 AND SECTIONS 7 AND 8 T9074-AS-GIB-010/271, SECTION 3 | | |

| 9 | ULTRASONIC INSPECTION (UT) | T9074-AS-GIB-010/271, SECTION 6 T9074-AS-GIB-010/271, SECTION 6 | | | | | |
|----|--|--|--|--|--|--|--|
| 10 | LIQUID PENETRANT INSPECTION (PT) | 0900-060-4010, SECTIONS 6, 7, AND 8 T9074-AS-GIB-010/271, SECTION 5 | TO300-AU-SPN-010 SECTIONS 3.5.2.2, 5.5.3.4, 6.3, AND 7.3 | 0900-060-4010, SECTIONS 6, 7, AND 8 T9074-AS-GIB-010/271, SECTION 5 | | | |
| 11 | MAGNETIC PARTICLE INSPECTION (MT) | 0900-060-4010, SECTION 6 T9074-AS-GIB-010/271, SECTION 4 | NOT APPLICABLE | | | | |

^{*-} STRUCTURAL FABRICATION AND NON DESTRUCTIVE TESTING REQUIREMENTS FOR PATROL COASTAL (PC) CRAFT (PC-2 THRU PC-14) ARE ADDRESSED IN A SEPARATE TECHNICAL REPAIR STANDARD INVOKED IN STATEMENTS OF WORK (SOW) FOR PC REPAIRS AND MODIFICATIONS.

** PARAGRAPG 3.8 APPLIES.

***SOME CRAFT ARE ORIGINALLY PROCURED WITH 6061 PLATING AND STRUCTURAL
MEMBERS IN THE WELDED CONDITION. MODIFICATIONS TO SUBJECT CRAFT INVOLVE
WELDING 5000 SERIES TO 6000 SERIES ALUMINUM AND ARE NOT ADDRESSED IN THE
REFERENCED DOCUMENTS IN THIS NAVSEA STANDARD ITEM.

**** THE SUPERVISOR MAY ALSO ALLOW THE CONTRACTOR TO CHOOSE FROM THE FOLLOWING OPTIONS, PROVIDING; UTILIZATION OF THE FOLLOWING OPTIONS MUST RESULT IN NO ADDITIONAL COST TO THE GOVERNMENT, THE CONTRACTOR SHALL SELECT THE WELDING STANDARD SELECTED FOR THE ENTIRE AVAILABILITY AND MUST NOT SWITCH BACK AND FORTH BETWEEN DOCUMENTS. THE CONTRACTOR MUST NOTIFY THE SUPERVISOR OF WHICH WELDING STANDARD HAS BEEN SELECTED.

OPTION A) MIL-STD-1689 MAY BE UTILIZED AT THE CONTRACTORS DISCRETION. THE REQUIREMENTS OF TABLE 2 ABOVE WOULD THEN APPLY.

OPTION B) THE CONTRACTOR MAY REQUEST TO UTILIZE THE SAME WELDING & NDT REQUIREMENTS THAT WERE INVOKED IN CONSTRUCTION OF THE VESSEL. IN SUCH CASES, THE CONTRACTOR MUST BE RESPONSIBLE TO DETERMINE THE ORIGINAL NDT REQUIREMENTS AND SUBMIT EVIDENCE SUCH AS DRAWINGS OR SPECIFICATIONS WHICH DETAIL THE NEW REQUIREMENTS TO THE SUPERVISOR ALONG WITH A REQUEST FOR APPROVAL.

OPTION C) THE CONTRACTOR MAY REQUEST TO UTILIZE PRE-ESTABLISHED (I.E. ABS, AWS, ASME, ETC.) WELDING AND/OR NDT PROCEDURES AND PERSONNEL QUALIFICATION PROGRAM(S) WHICH HAVE BEEN PREVIOUSLY UTILIZED IN THE PERFORMANCE OF SIMILAR GOV-ACCEPTED WORK. IN SUCH CASES, THE CONTRACTOR MUST SUBMIT EVIDENCE OF SUCH GOV ACCEPTABILITY TO THE SUPERVISOR ALONG WITH DESCRIPTIVE DETAILS AND SUPPORTING DOCUMENTATION FOR THE PROPOSED PROGRAM(S). SUCH DOCUMENTATION MUST INCLUDE THE WELDING/NDT PROCEDURES AND METHODS OF WELDING/NDT PERSONNEL QUALIFICATION THAT WERE UTILIZED IN FORMER ACCEPTED WORK. THE CONTRACTOR MUST ALSO SUBMIT OTHER SUPPORTING EVIDENCE THAT

MAY BE REQUESTED BY THE SUPERVISOR TO ESTABLISH THAT THE PROPOSED PROGRAMS HAVE BEEN PREVIOUSLY UTILIZED FOR SIMILAR ACCEPTED WORK

26 of 30 ITEM NO: <u>009-012</u>

FY-28

| COMBATANT SURFACE SHIPS | | | |
|-------------------------|---|------------|--|
| | WARSHIPS | | |
| SHIP CLASS | SHIP TYPE | TABLE | |
| CV | Aircraft Carrier | 2 | |
| CVN | Aircraft Carrier (nuclear propulsion) | 2 | |
| CG | Guided Missile Cruiser | 2 | |
| DDG | Guided Missile Destroyer | 2 | |
| FFG | Guided Missile Frigate | 2 | |
| LCS | Littoral Combat Ship | 2 | |
| | AMPHIBIOUS WARFARE SHIPS | | |
| SHIP CLASS | SHIP TYPE | TABLE | |
| LCC | Amphibious Command Ship | 2 | |
| LHA | Amphibious Assault Ship (general purpose) | 2 | |
| LKA | Amphibious Cargo Ship | 2 | |
| LPD | Amphibious Transport Dock | 2 | |
| LSD | Dock Landing Ship | 2 | |
| LHD | Amphibious Assault Ship (general purpose) | 2 | |
| | AUXILIARY SHIPS | | |
| SHIP CLASS | SHIP TYPE | TABLE | |
| AO | Oiler | 2 | |
| AOE | Fast Combat Support Ship | 2 | |
| 1102 | MINE WAREFARE SHIPS | | |
| SHIP CLASS | SHIP TYPE | TABLE | |
| MCM | Mine Countermeasures Ship | 2 | |
| 7,101,1 | NON-COMBATANT SURFACE SHIPS | 12 | |
| _ | AUXILIARY SHIPS | | |
| SHIP CLASS | SHIP TYPE | TABLE | |
| ACS | Auxiliary Crane Ship | 3 | |
| AGM | Missile Range Instrumentation Ship | 3 | |
| AGOR | Oceanographic Research Ship | 3 | |
| AGOS | Ocean Surveillance Ship | 3 | |
| AGS | Surveying Ship | 3 | |
| AH | | 3 | |
| AK | Hospital Ship Cargo Ship | 3 | |
| | C 1 | 3 | |
| AKB | Auxiliary Cargo Barge/Lighter Ship | | |
| AKF | Auxiliary Cargo Float-On/Float-Off Ship | 3 | |
| AOT | Transport Oiler | 3 | |
| APL | Barracks Craft | 3 | |
| ARC | Cable Repairing Ship | 3 | |
| ARS | Salvage Ship | 3 | |
| AS | Submarine Tender | 3 | |
| ATF | Fleet Ocean Tug | 3 | |
| AVB | Aviation Logistic Support Ship | 3 | |
| | 27 of 20 ITEM | NO: 000 01 | |

| NON-COMBATANT SURFACE SHIPS | | | |
|-----------------------------|--|----------|--|
| | SERVICE CRAFT | | |
| SHIP CLASS | SHIP TYPE | TABLE | |
| AFDL | Small Auxiliary Floating Drydock (non-self-propelled) | 4 | |
| APL | Barracks Craft (non-self-propelled) | 4 | |
| ARDM | Medium Auxiliary Repair Drydock (non-self-propelled) | 4 | |
| DSRV | Deep Submergence Rescue Vehicle (Self-Propelled) | 4 | |
| DSV | Deep Submergence Vehicle (Self-Propelled) | 4 | |
| FSF | Fast Sea Frame (Self-Propelled | 4 | |
| IX | Unclassified Miscellaneous | 4 | |
| NR | Submersible Research Vehicle (Self-Propelled) | 4 | |
| SBX | Mobile Radar Platform (Self-Propelled) | 4 | |
| SS | Unclassified Miscellaneous Submarine (Self-Propelled) | 4 | |
| YC | Open Lighter (non-self-propelled) | 4 | |
| YCV | Aircraft Transportation Lighter (non-self-propelled) | 4 | |
| YD | Floating Crane (non-self-propelled) | 4 | |
| YDT | Diving Tender (non-self-propelled) | 4 | |
| YFB | Ferryboat or Launch (self-propelled) | 4 | |
| YFN | Covered Lighter (non-self-propelled) | 4 | |
| YFBN | Large Covered Lighter (non-self-propelled) | 4 | |
| YON | Fuel Oil Barge (non-self-propelled) | 4 | |
| YOS | Oil Storage Barge (non-self-propelled) | 4 | |
| YP | Patrol Craft (self-propelled) | 4 | |
| YR | Floating Workshop (non-self-propelled) | 4 | |
| YRB | Repair and Berthing Barge (non-self-propelled) | 4 | |
| YRBN | Repair, Berthing, and Messing Barge (non-self-propelled) | 4 | |
| YRDH | Floating Drydock Workshop (Hull) (non-self-propelled) | 4 | |
| YRDM | Floating Drydock Workshop (Machine) (non-self-propelled) | 4 | |
| YSD | Seaplane Wrecking Derrick (self-propelled) | 4 | |
| YT | Harbor Tug (self-propelled) | 4 | |
| YTB | Large Harbor Tug (self-propelled) | 4 | |
| YTL | Small Harbor Tug (self-propelled) | 4 | |
| YTT | Torpedo Trials Craft (self-propelled) | 4 | |
| YWN | Water Barge (non-self-propelled) | 4 | |
| YWO | Waste Oil Barge (non-self-propelled) | 4 | |
| ESB | Expeditionary Sea Base Vessel | 3/2* | |
| | SEALIFT SUPPORT CRAFT | | |
| SHIP CLASS | SHIP TYPE | TABLE | |
| CFPM | Causeway Ferry Power Module, INLS | 4 | |
| CM | Combination/Docking Module, INLS | 4 | |
| IM | Intermediate Module, INLS | 4 | |
| RM | Ramp Module, INLS | 4 | |
| LWT | Light Warping Tug | 4 | |
| WT | Amphibious Warping Tug | 4 | |
| | 20 (20 ITEM) | 10 000 0 | |

| SLWT | Side Loading Warping Tug | 4 |
|------------|--|----------------|
| | NON-COMBATANT SURFACE SHIPS | |
| | SEALIFT SUPPORT CRAFT (CONTINUED) | |
| SHIP CLASS | SHIP TYPE | TABLE |
| LARC V | | 4 |
| OPDS UB | Lighter, Amphibious Resupply, Cargo 5 Ton Offshore Petroleum Discharge System Utility Boat | 4 |
| MPFUB | Maritime Prepositioning Force Utility Boat | 4 |
| MIFFUB | COMBATANT CRAFT | 4 |
| SHIP CLASS | SHIP TYPE | TABLE |
| LCAC | Landing Craft, Air Cushion | 4 |
| LCAC | Landing Craft, Mi Cushion Landing Craft, Mechanized | 4 |
| LCPL | Landing Craft, Wechanized Landing Craft, Personnel, Large | 4 |
| LCU | Landing Craft, Personner, Large Landing Craft, Utility | 4 |
| CCA | Combatant Craft Assault | 4 |
| CCH | Combatant Craft Assault Combatant Craft Heavy | 4 |
| CCM | Combatant Craft Medium | 4 |
| SOC-R | Special Operations Craft-Riverine | 4 |
| SSC-K | Surface Support Craft | 4 |
| SDV | | 4 |
| SWCS | Seal Delivery Vehicle Shallow Water Combat Submersible | 4 |
| PB | Patrol Boat | 4 |
| RAB | Riverine Assault Boat | 4 |
| RCB | Riverine Assault Boat Riverine Command Boat | 4 |
| RPB | Riverine Command Boat Riverine Patrol Boat | 4 |
| AT | | 4 |
| MERC | Armored Troop Carrier Multi-Use FOD Response Craft | 4 |
| MERC | Multi-Use EOD Response Craft BOATS | 4 |
| SHIP CLASS | SHIP TYPE | TABLE |
| AC | Area Command Cutter | 4 |
| AP | Area Point Search | 4 |
| AR | Aircraft Rescue Boat | 4 |
| BB | Barrier Boat | 4 |
| BH | Boom Handling | 4 |
| BP | Boom Platform | 4 |
| BW | Boston Whaler | 4 |
| CA | Catamaran (Self-Propelled) | 4 |
| CC | Cabin Cruiser (Self-Propelled) | 4 |
| DS | Dive Support | 4 |
| DSB | Dive Support Boat | 4 |
| DSB | Dive Workboat | 4 |
| | | |
| HL | Hydrographic Survey Launch Force Protection (Harbor Security) | 4 |
| HS | Force Protection (Harbor Security) | 4 |
| LB | Life Boat (Self-Propelled) | 4 |
| MC | Support Craft (High-value) | EM NO: 000 01: |

| ML | Non-Standard (Self-Propelled) | 4 |
|------------|------------------------------------|-------|
| | NON-COMBATANT SURFACE SHIPS | |
| | BOATS (CONTINUED) | |
| SHIP CLASS | SHIP TYPE | TABLE |
| MM | Marine Mammal Boat | 4 |
| MR | Missile Retriever Boat | 4 |
| NS | Non-Standard Boat | 4 |
| OP | Oil Pollution Skimmer Boat | 4 |
| PE | Personnel Boat | 4 |
| PL | Personnel, Light | 4 |
| PR | Plane Personnel Rescue Boat | 4 |
| PS | Parasail Training Boat | 4 |
| RB | Rigid Inflatable Boat | 4 |
| RIB RX | Non-Standard Rigid Inflatable Boat | 4 |
| SC | Support Craft | 4 |
| ST | Sail Training Craft | 4 |
| SX | Ships Non-Standard Boat | 4 |
| TL | Tender Life Boat | 4 |
| TR | Torpedo Retriever Boat | 4 |
| TWR | Torpedo Weapons Retriever | 4 |
| UB | Utility Boat | 4 |
| UC | Unmanned Craft | 4 |
| WB | Work Boat | 4 |
| WP | Work Platform Boat | 4 |

^{*} ESB structure is primarily maintained using commercial standards (table 3), but some limited structures are maintained to military standards (table 2). See COMNAVSURFOR/COMSCINST 3000.1A for more details.